



**EL DORADO COUNTY FIRE PROTECTION DISTRICT
BOARD MEETING**

AGENDA

**City of Placerville
Town Hall
549 Main Street
Placerville, CA 95667**

October 20, 2022
12:30 Closed Session
1:00 P.M. Open Session

Join Zoom Meeting

<https://us02web.zoom.us/j/88937879063?pwd=ajJ1NzV1RWp3dVJyWFkyam8wNHg2UT09>

Meeting ID: 889 3787 9063
Passcode: 289203

One tap mobile
1(669)900-9128

Fire Chief, Tim Cordero

Mark Brunton (Div. 1)
Mickey Kaiserman (Div. 2)
Chris Swarbrick (Div. 3) -Chair

Ken Harper (Div. 4)
Paul Gilcrest (Div. 5)

12:30 P.M. OPEN SESSION

PUBLIC COMMENT:

Any person wishing to address the Board on any item on the closed session portion of the agenda may do so at this time.

12:35 P.M. CLOSED SESSION

- A. Meeting with designated representatives of the El Dorado County Fire Protection District regarding employee salaries, salary schedules, and/or other compensation in the form of fringe benefits pursuant to Government

Code Section 54957.6. The El Dorado County Fire Protection District's designated representatives are Fire Chief Tim Cordero, Director Chris Swarbrick, Director Ken Harper and Patrick Clark.
El Dorado County Professional Firefighter Union Local 3556

1:00 P.M. OPEN SESSION

1. CALL TO ORDER:

2. ROLL CALL:

3. PLEDGE OF ALLEGIANCE:

4. APPROVE AGENDA:

5. CONSENT CALENDAR:

(All items approved on a single vote except those pulled for individual discussion and action).

- A. Minutes: September 30, 2022, Board Meeting
- B. Standard Operating Guideline: Article 10 – Section 3
- C. Claim Payments/Deposits:

<u>District Claims:</u>	<u>District Deposits & JE:</u>
\$189.33	\$4,425.00
\$20,113.17	\$3,247.00
\$115,453.68	\$13,175.00
\$1,285.17	\$13,435.18
\$3,062.10	
\$2,623.72	
\$11,390.00	
\$1,845.00	
\$15,936.16	
\$119,836.13	
\$18,672.30	
\$59,642.39	
\$16,489.52	
\$119,905.61	

6. COMMENDATION AWARDS:

- Captain Jacob Poganski
- Firefighter Paramedic Shane Galbraith
- Firefighter Paramedic Hunter Simons

7. PUBLIC COMMENT:

(Any person wishing to address the Board on any item that is not on the agenda may do so at this time. Public comments are limited to three minutes per person.)

8. REPORT OF ACTION TAKEN IN CLOSED SESSION:

- A. Meeting with designated representatives of the El Dorado County Fire Protection District regarding employee salaries, salary schedules, and/or other compensation in the form of fringe benefits pursuant to Government

Code Section 54957.6. The El Dorado County Fire Protection District's designated representatives are Fire Chief Tim Cordero, Director Chris Swarbrick, Director Ken Harper and Patrick Clark.
El Dorado County Professional Firefighter Union Local 3556

9. DEPARTMENTAL MATTERS:

- A. **Administrative** – Fiscal Year 2022/2023 ISU Atwood Insurance Renewal
- B. **Operational** - Shared Service Agreement with Diamond Springs – El Dorado Fire Department.
 - Discuss and Approve.
- C. **Administrative** – Ordinance 2022-02 – California Fire Code
 - Second Reading – Adoption.
- D. **Administrative** – Fiscal Year 2021/2022 Year End Report
 - Michael Ocenosak

10. BOARD MATTERS:

11. COMMITTEE REPORTS:

Standing Committees:

- A. Strategic Planning
- B. Budget and Finance (Kaiserman, Gilchrest)
- C. Communications & Outreach (Brunton, Gilchrest)

Ad-hoc Committees:

- A. Operational Strategic Planning. (Swarbrick, Kaiserman)
- B. Facilities & Equipment (Brunton, Kaiserman)
- C. Human Resources (Swarbrick, Harper)

12. CORRESPONDENCE AND COMMUNICATION:

- Fire Engine Response Statistics.
- Medic Unit Response Statistics.
- Thank you letter from the Mountain Democrat

13. FIRE CHIEF'S REPORT:

14. BOARD COMMENTS:

15. FUTURE AGENDA ITEMS:

Next regularly scheduled Board Meeting, November 17, 2022.

16. ADJOURNMENT:

In compliance with the Americans with Disabilities Act, if you are a disabled person and you need a disability related modification or accommodation to participate in this meeting, then please contact Fire Chief Tim Cordero by telephone at 530-644-9630 or by fax 530-644-9636. Request must be made as early as possible and at least one full business day before the start of the meeting.

**EL DORADO COUNTY FIRE PROTECTION DISTRICT
BOARD MEETING**

September 30, 2022

1:00 P.M. Open Session

Join Zoom Meeting

<https://us02web.zoom.us/j/85334689160?pwd=NTJwSnhwb1FGVWhnT3lScFFlWGprUT09>

Meeting ID: 853 3468 9160

Passcode: 907880

One tap mobile

1(669)444-9171

Fire Chief, Tim Cordero

1:00 P.M. OPEN SESSION

1. CALL TO ORDER:

Director Swarbrick called the meeting to order at 1:06 P.M.

2. ROLL CALL:

Present: Swarbrick, Brunton, Harper, Kaiserman, Gilcrest

Absent: None

3. PLEDGE OF ALLEGIANCE:

The Pledge of Allegiance was recited.

4. APPROVE AGENDA:

It was moved by Director Kaiserman and seconded by Director Harper to approve the agenda as presented. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilcrest

Noes: None

Absent: None

5. CONSENT CALENDAR:

(All items approved on a single vote except those pulled for individual discussion and action).

- A. Minutes: August 18, 2022, Board Meeting
- B. Ratify Board Action from June 23, 2022
- C. Claim Payments/Deposits:

<u>District Claims:</u>	<u>District Deposits & JE:</u>
\$6,600.00	\$600,000.00
\$16,283.87	\$160,631.98
\$35,662.63	\$3,401.00
\$7,820.50	\$4,539.00
\$14,565.01	\$600,000.00
\$2,100.00	
\$2,215.00	
\$1,702.27	
\$29,955.68	
\$17,453.16	
\$1,200,000.00	
\$3,974.00	
\$19,574.92	
\$122,518.29	

It was moved by Director Harper and seconded by Director Brunton to approve the Consent Calendar with corrections as mentioned. Director Kaiserman abstain from item 5A, Director Gilchrest to abstain from item 5B. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest
 Noes: None
 Absent: None

6. OATH OF OFFICE:

- Firefighter Paramedic Traci Kroll

7. PUBLIC COMMENT:

(Any person wishing to address the Board on any item that is not on the agenda may do so at this time. Public comments are limited to five minutes per person).

No Public Comment

8. DEPARTMENTAL MATTERS:

A. Administrative – Payroll Software Upgrade

- Discuss and Approve.

It was moved by Director Gilchrest and seconded by Director Brunton to approve the Fire Chief to enter into an agreement with Workforce Ready with a one-time set up fee of \$3,500.00 and a yearly cost of \$9,828.00. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest
 Noes: None
 Abstain: None

Absent: None

B. Administrative – Resolution 2022-07 Fiscal Year 2022-2023 Final Budget

- Review and Adopt

It was moved by Director Kaiserman and seconded by Director Harper to approve Resolution 2022-07 Fiscal Year 2022-2023 Final Budget in the amount of \$13,871,817.00. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

C. Administrative – Resolution 2022-08 – Adopting Findings Supporting Amendments to the California Fire Code.

- Ordinance 2022-02- 2022 Fire Code Adoption – First Reading.

It was moved by Director Brunton and seconded by Director Kaiserman to approve Resolution 2022-08 – Adopting Findings Supporting Amendments to the California Fire Code. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

D. Operational - AFG Grant – Self Contained Breathing Apparatus

- Discuss and Approve

It was moved by Director Harper and seconded by Director Kaiserman to approve the Fire Chief and Staff to enter into a contract with Fire Grant Experts. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

E. Operational – Utility Apparatus Purchase

- Discuss and Approve

It was moved by Director Kaiserman and seconded by Director Brunton to approve the purchase of two Utility Vehicles in the amount of \$56,000 and \$12,000 for light and radio console. \$72,000 of TOT funds to be used. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

F. Operational – Mobile Radio

It was moved by Director Kaiserman and seconded by Director Harper to approve the purchase of five Kenwood TK-5710 mobile radios from Silverado Avionics for the cost of \$11,446.79. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

G. Facilities – Station 16 Roof Replacement

- Discuss and Approve

It was moved by Director Harper and seconded by Director Kaiserman to approve entering into a contract with El Dorado Roofing for the replacement of the roof at Kyburz Station 16. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

H. Operational – Medic Unit Staffing Model

- Discuss and Approve

It was moved by Director Gilchrest and seconded by Director Kaiserman to approve further exploring and implementation of the Medic Unit Staffing Model. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Absent: None

I. Administrative – Special Tax Annual Report

- Review and File

9. BOARD MATTERS:

10. COMMITTEE REPORTS:

Standing Committees:

A. Strategic Planning

No Report

B. Budget and Finance (Kaiserman, Gilchrest)

- a. Transition from monthly to quarterly meetings.

It was moved by Director Kaiserman and seconded by Director Harper to approve the transition from monthly to quarterly meetings. The motion was passed by the following vote:

Ayes: Swarbrick, Brunton, Harper, Kaiserman, Gilchrest

Noes: None

Abstain: None

Director Kaiserman provided an overview of the items discussed at the last Budget and Finance meeting.

C. Communications & Outreach (Brunton, Gilchrest)

Director Gilchrest stated they will be meeting the 2nd Friday of October.

Ad-hoc Committees:

A. Facilities and Equipment (Brunton, Kaiserman)

No Report

B. Human Resources (Swarbrick, Harper)

Director Swarbrick stated the HR Committee has received the exit interviews from Chief Cordero.

11. CORRESPONDENCE AND COMMUNICATION:

- Fire Engine Response Statistics.
- Medic Unit Response Statistics.
- Thank you letter from Royal Equestrian Estates.

12. FIRE CHIEF'S REPORT:

- JPA:
 - The JPA Board and EMSOC are monitoring call volumes on a weekly basis, EMSOC looking for opportunities to adjust the system.
 - The JPA staffing ad hoc committee continues to meet to explore various options for JPA staffing models, the JPA will consider proposals from members for staffing of the 8th medic unit.
 - The JPA has received the Power Load systems for the medic units, they are in the process of installation. All of the front-line units should have the system within the next week and then the backup units will begin the installation process.
- City of Placerville

- The City is continuing with their Trip to Green program, one additional weekend in October. We have been involved in the planning and review of the pilot program. From a fire service perspective, the program has been working very well.
- The Joint City Council / Fire Board meeting had to be rescheduled for October 11th, 1500.
- District information
 - On September 17th, the IAFF held their Fallen Firefighter Memorial in Colorado Springs. Our Union President Jacob Poganski, Vice-President Jamie Preston, Honor Guard Member Josh Land, Captain Shepard, and I were in attendance. Firefighter Brandon Hustrei was recognized and placed on the wall, his widow, daughter, and parents were in attendance.
 - The station 17 project continues to move forward. The plans have been approved by the County and Chief Williams is working with our CM for going out to bid.
 - Engine 328 was hired locally as a Cal Fire resource. Through our partnership with Cal Fire during draw-down, Cal Fire will reach out for assistance in staffing their stations with local agencies. Engine 328 was staffed out of Station 43, until assigned to the Mosquito Fire. We submitted through OES for a “pre-position” of two water tenders in the County during the heat wave. OES approved our request, locally we were only able to staff one water tender, WT-21. Our requests were approved for a total of 8 days.
 - The County Board of Supervisors approved our request for the additional \$119,836.13 from our Development Impact Fees for the new ladder truck. The payment has been sent to Pierce Manufacturing, fully paid, and securing the pre-payment discount for our taxpayers.
 - We received funding from the El Dorado Community Foundation for Firefighter Caleb Melton’s paramedic school tuition. Firefighter Melton is enrolled in NCTI and will begin school late October.
 - Retired Engineer Campbell is continuing to work on developing his Peer Support program, several groups have committed grant funds to his program, and he is working with the El Dorado Community Foundation for fiscal sponsorship.
 - As a follow up to the last Board meeting, Kathleen was able to enroll in a CSDA sponsored Board Clerk training seminar in Monterey the first week of November. We also received a \$750 grant for the training which covers the majority of the tuition.
 - Chief Lilienthal, Chief Stephens and I met with the LAFCO Ad-Hoc committee regarding the Fire MSR’s and proposed Summit. We will be scheduling a workshop for the Fire Chiefs in November and then reporting back to the Ad-Hoc committee.
 - I was invited to sit on two separate hiring panels at the County level, the CAO position and the Deputy CAO Office of Wildfire Preparedness and resilience.
 - Update on the Shared Services with Diamond Springs Fire, we have had several meetings, internally and with DSP. The Firefighters Union from Diamond Springs sent a letter of unanimous support to Chief Gallagher for the proposed shared service agreement. We are planning another meeting with both locals and Chiefs, before bringing it to our Board for consideration.

- I will be out of the area October 14 thru October 17; Chief Lohan will have District operations in my absence.

13. BOARD COMMENTS:

Brunton: No Comment

Swarbrick: No Comment

Kaiserman: No Comment

Harper: No Comment

Gilchrest: Director Gilchrest stated he wanted to thank Division chief Stirling for the work he has been doing with the Firewise Communities and Fire Safe Councils.

14. FUTURE AGENDA ITEMS:

Next regularly scheduled Board Meeting October 20, 2022.

- 15. ADJOURNMENT:** *At 3:02 P.M. it was moved by Director Brunton and seconded by Director Kaiserman to adjourn; all in favor.*

EL DORADO COUNTY FIRE PROTECTION DISTRICT

STANDARD OPERATING GUIDELINE

ARTICLE 10: EQUIPMENT PROCEDURESE

FFECTIVE DATE: 04-12-2006

SECTION 3: ROUTINE MAINTENANCE

REVISED: 06-01-2022

10.3.1 **PURPOSE:** To assure the following procedures will be followed regarding Equipment Maintenance:

10.3.2 All major repairs to Fire District equipment are to be made by, or under the direction of the ~~Duty Chief Officer~~. **Maintenance Division Chief.**

10.3.3 All modifications or additions to Fire District equipment are to be cleared by the ~~Fire Chief~~. **Maintenance Division Chief.**

10.3.4 For the purpose of this guide, "On duty shift personnel" shall pertain to the assigned apparatus Engineer.

10.3.5 Minor repairs such as replacing light bulbs, windshield wipers, fan belt tightening, replacing loose screws, nuts and bolts, minor wiring problems, **cleaning battery terminals, replace as necessary**, etc. are to be done by on- duty shift personnel at each station.

10.3.6 Preventive Maintenance:

10.3.6.1 Oil and filter changes, air filter replacement, chassis and drive line lube, add or change lube oil in gear cases when necessary, clean and lube external pump valves, lube pump, adjust pump packing, ~~clean battery terminals, or replace as necessary, will be done by the on-duty shift personnel at each station. Can be scheduled through the district repair facility and or on duty "maintenance" personnel.~~ **Will be scheduled through District Maintenance Division.**

10.3.6.2 Minor repair and preventive maintenance items that have been done are to be noted on equipment repairs forms and sent to the Maintenance Division.

10.3.7 Reporting Problems:

~~10.3.7.1 A description of the problem along with any trouble shooting performed shall be forwarded to the Maintenance Division.~~ **All minor repairs as outlined in 10.3.5 do not require a repair order and shall be documented in the 1401 maintenance log. All other repairs and/or services must be documented through district Repair Order form (1402) and sent to Maintenance Division.**

10.3.8 Apparatus:

10.3.8.1 The District's "Mobile Equipment Inventory" ranges from utilities to water tenders. Each station is assigned a number of these vehicles.

10.3.8.2 The District maintains a reserve fleet. If a piece of mobile equipment must be taken "out of service" for a period of time, then a piece of equipment from reserve fleet will take its position. Reserve apparatus are not equipped to the District's standard for front line equipment.

10.3.8.3 Service Area 7 mobile equipment is assigned to the District. The procedure for equipment checks and the reporting of mechanical ~~problems is the same as other~~

~~District equipment:~~ Problems must follow Service Area 7s guidelines.

EL DORADO COUNTY FIRE FINANCE REPORT

1. Fire Operations Budget Summary
2. District Claims Submitted for Payment

District Claims:

- \$189.33
- \$20,113.17
- \$115,453.68
- \$1,285.17
- \$3,062.10
- \$2,623.72
- \$11,390.00
- \$1,845.00
- \$15,936.16
- \$119,836.13
- \$18,672.30
- \$59,642.39
- \$16,489.52
- \$119,905.61

District Deposits/Journal Entries:

- \$4,425.00
- \$3,247.00
- \$13,175.00
- \$13,435.18

EL DORADO COUNTY FIRE PROTECTION DISTRICT					
Final Fire Operations Budget Summary 2022-2023					
July 1, 20201Through September 30, 2022 25% Expended					
Sub	Revenues / Sources	Final Budget 2022-2023	Expended 2022-2023	Over or Under Budget	Percentage Collected
<i>Carry-over funds from previous year</i>					
100	Property Taxes-Secured (current year)	\$10,596,087.00		(\$10,596,087.00)	0%
110	Property Taxes-Unsecured (current)	\$204,304.00	\$154,047.43	\$0.00	75%
140	Supplemental Property Taxes-Current	\$296,130.00	\$70,452.21	(\$225,677.79)	24%
174	Tax: Timber Yield	\$35.00	\$0.00	(\$35.00)	0%
342	Fund Balance (Measure S Fund Transfer St. 28)	\$0.00		\$0.00	0%
820	State Homeowners Property Tax Relief	\$72,628.00	\$0.00	(\$72,628.00)	0%
<i>Prior Years Property Taxes</i>					
120	Property Taxes-Prior Secured	\$4,385.00	\$0.00	(\$4,385.00)	0%
130	Property Taxes-Prior Unsecured	\$6,169.00	\$2,328.57	(\$3,840.43)	38%
150	Supplemental Property Taxes-Prior	\$18,164.00	\$3,384.81	(\$14,779.19)	19%
360	Taxes-Penalties	\$10,957.00	\$844.18	(\$10,112.82)	8%
<i>Voter Approved Special Taxes</i>					
175	Direct Assessment	\$517,231.00	\$1,545.50	(\$515,685.50)	0%
1310	Fire Suppression (Shingle Springs)	\$5,214.00		(\$5,214.00)	0%
<i>Other Fees & Service Reimbursements</i>					
880	St: Other	\$0.00		\$0.00	100%
881	Federal/State Reimbursements	\$861,795.00	\$10,096.46	(\$851,698.54)	1%
400	Interest	\$25,308.00	\$6,881.13	(\$18,426.87)	27%
420	Rent: Land & Building	\$25,969.00	\$16,969.47	(\$8,999.53)	65%
1100	Other Federal Revenue CARES Relief Funds	\$0.00		\$0.00	0%
1200	Temporary T.O.T. Reimbursement	\$68,000.00		(\$68,000.00)	0%
1400/1401	Inspection Fee's - Prevention - Plan Review Fees	\$141,125.00	\$38,724.07	(\$102,400.93)	27%
1403	Development Fees Trust Fund	\$0.00	\$600,000.00	\$600,000.00	0%
4304	Ambulance Admin Reimbursement (1686)	\$304,328.00		(\$304,328.00)	0%
1744	Misc: Inspection or Services VHR	\$0.00		\$0.00	0%
1940	Miscellaneous	\$5,462.00	\$2,059.34	(\$3,402.66)	38%
1942	Misc: Reimbursement	\$0.00		\$0.00	0%
1947	Insurance Refunds & Safety Funds	\$6,466.00	\$141,497.07	\$135,031.07	2188%
2000	Sale of Fixed Assets	\$2,880.00		(\$2,880.00)	0%
1207	Shingle Springs Rancheria	\$654,000.00	\$600,000.00	(\$54,000.00)	92%
1800	Interfund Rev: Service Between Fund Types	\$138,040.00		(\$138,040.00)	0%
Total Revenue			\$1,648,830.24	(\$12,127,550.19)	#VALUE!

EL DORADO COUNTY FIRE PROTECTION DISTRICT

Final Fire Operations Budget Summary 2022-2023

July 1, 2021 Through September 30, 2022 25% Expended

Sub	Salaries & Benefits Expenditures / Uses: Class I	Final Budget 2022-2023	Expended 2022-2023	Over or Under Budget	Percentage Expended
3000	Salaries and Wages	\$5,311,165.00	\$1,240,357.93	(\$4,070,807.07)	23%
3001	Directors/Apprentice FF/Prevention Consultants	\$15,000.00	\$1,140.00	(\$13,860.00)	0%
3002	Overtime	\$1,597,515.00	\$498,701.28	(\$1,098,813.72)	31%
3004	Other Compensation	\$301,024.00	\$100,663.01	(\$200,360.99)	33%
3020	Retirement	\$2,553,894.00	\$2,642,783.02	\$88,889.02	103%
3021	OASDI	\$6,279.00	\$70.68	(\$6,208.32)	1%
3022	Medicare	\$97,638.00	\$26,596.84	(\$71,041.16)	27%
3040	Health & Dental	\$1,201,023.00	\$452,956.37	(\$748,066.63)	38%
3041	Unemployment Insurance	\$2,986.00	\$0.00	(\$2,986.00)	0%
3042	Long Term Disability & Volunteer Program	\$21,387.00	\$2,784.00	(\$18,603.00)	13%
3043	Defer Comp Employer Share	\$76,485.00	\$18,092.64	(\$58,392.36)	24%
3044	Vision	\$12,228.00	\$4,036.92	(\$8,191.08)	33%
3060	Workman's Compensation Insurance	\$508,128.00	\$127,032.00	(\$381,096.00)	25%
Total		\$11,704,752.00	\$5,115,214.69	(\$6,589,537.31)	43.70%

EL DORADO COUNTY FIRE PROTECTION DISTRICT

Final Fire Operations Budget Summary 2022-2023

July 1, 2021 Through Septebmer 30, 2022 25% Expended

Sub	Expenditures / Uses: Class II	Final Budget 2022-2023	Expended 2022-2023	Over or Under Budget	Percentage Expended
4020	Clothing	\$15,000.00	\$5,235.37	(\$9,764.63)	35%
4021	Safety Equipment	\$13,000.00	\$399.90	(\$12,600.10)	3%
4022	Uniforms	\$5,000.00	\$41,178.52	\$36,178.52	824%
4040	Communications	\$149,400.00	\$39,210.25	(\$110,189.75)	26%
4044	Cable/Internet Service	\$0.00	\$0.00	\$0.00	0%
4060	Food	\$5,200.00	\$1,147.57	(\$4,052.43)	22%
4080	Warehouse Expenses	\$25,000.00	\$6,541.10	(\$18,458.90)	26%
4085	Refuse Disposal	\$19,000.00	\$4,711.20	(\$14,288.80)	25%
4087	Extermination	\$1,000.00	\$325.00	(\$675.00)	33%
4100	Insurance Premiums	\$91,000.00	\$1,221.85	(\$89,778.15)	1%
4140	Maintenance - Equipment	\$9,750.00	\$4,678.06	(\$5,071.94)	48%
4142	Maintenance - Radios	\$8,000.00	\$1,009.93	(\$6,990.07)	13%
4145	Maintenance - Equipment Parts	\$16,500.00	\$819.45	(\$15,680.55)	5%
4160	Maintenance - Vehicles	\$70,000.00	\$28,670.27	(\$41,329.73)	41%
4162	Maintenance - Vehicle Supplies	\$70,000.00	\$37,851.76	(\$32,148.24)	54%
4164	Maintenance -Tires & tubes	\$30,000.00	\$7,640.28	(\$22,359.72)	25%
4180	Maintenance - Buildings & Improvements	\$10,000.00	\$1,004.00	(\$8,996.00)	10%
4197	Building Supplies	\$15,000.00	\$4,043.35	(\$10,956.65)	27%
4200	Medical Supplies	\$0.00	\$0.00	\$0.00	0%
4220	Memberships	\$10,000.00	\$135.00	(\$9,865.00)	1%
4260	Office Expense	\$10,000.00	\$2,131.00	(\$7,869.00)	21%
4261	Postage	\$3,000.00	\$198.96	(\$2,801.04)	7%
4263	Subscriptions	\$200.00	\$0.00	(\$200.00)	0%
4300	Professional & Specialized Services	\$217,600.00	\$31,758.89	(\$185,841.11)	15%
4304	Agency Administration	\$0.00	\$0.00	\$0.00	0%
4313	Legal Services - Being Paid out of 4300	\$50,000.00	\$0.00	(\$50,000.00)	0%
4324	Medical, Dental, & Lab Services	\$20,000.00	\$42,717.24	\$22,717.24	214%
4400	Publications & Legal Notices	\$500.00	\$135.00	(\$365.00)	27%
4420	Rent & Leases Equipment	\$18,300.00	\$2,210.88	(\$16,089.12)	12%
4440	Rents & Leases	\$500.00	\$0.00	(\$500.00)	0%
4461	Minor Equipment	\$92,700.00	\$9,889.77	(\$82,810.23)	11%
4462	Equipment: Computers	\$4,000.00	\$7,206.09	\$3,206.09	180%
4500	Special Departmental Expense	\$34,950.00	\$1,270.68	(\$33,679.32)	4%
4503	Educational Training	\$5,000.00	\$0.00	(\$5,000.00)	0%
4507	Fire & Safety Supplies	\$25,000.00	\$9,854.09	(\$15,145.91)	39%
4529	Software License	\$30,625.00	\$3,986.81	(\$26,638.19)	13%
4536	Retirement Benefit	\$0.00	\$10,894.00	\$10,894.00	100%
4617	Staff Development	\$40,800.00	(\$2,925.54)	(\$43,725.54)	-7%
4600	Transportation & Travel	\$0.00	\$0.00	\$0.00	0%
4606	Fuel Purchase - Bulk	\$130,000.00	\$33,517.10	(\$96,482.90)	26%
4620	Utilities	\$97,000.00	\$20,677.02	(\$76,322.98)	21%
	Total	\$1,343,025.00	\$359,344.85	(\$983,680.15)	27%

EL DORADO COUNTY FIRE PROTECTION DISTRICT

Final Fire Operations Budget Summary 2022-2023

July 1, 2021 Through September 30, 2022 25% Expended

Sub	Expenditures: Class III	Final Budget 2022-2023	Expended 2022-2023	Over or Under Budget	Percentage Expended
5060	Retirement/Interest of Other Long Term Debt	\$99,204.00	\$107,186.81	\$7,982.81	108%
5100	Interest	\$38,836.00	\$0.00	(\$38,836.00)	0%
5142	Audit Findings	\$0.00	\$0.00	\$0.00	0%
	Total	\$138,040.00	\$107,186.81	(\$30,853.19)	78%
Sub	Fixed Assets - Class IV	Final Budget 2022-2023	Expended 2022-2023	Over or Under Budget	Percentage Expended
6020	Fixed Assets - Structures & Improvements	\$175,000.00	\$8,608.89	(\$166,391.11)	5%
6023	Fixed Assets - Construction Services - Station 17	\$0.00	\$6,660.00	\$6,660.00	0%
6040	Fixed Assets - Apparatus/Equipment	\$503,500.00	\$1,421,146.85	\$917,646.85	282%
6042	Fixed Assets - Computer Systems	\$0.00	\$0.00	\$0.00	0%
	Total	\$678,500.00	\$1,436,415.74	\$757,915.74	212%

EL DORADO COUNTY FIRE PROTECTION DISTRICT				
Final Fire Operations Budget Summary 2022-2023				
July 1, 2021 Through September 30, 2022 25% Expended				
	Final Budget 2022-2023	Expended 2022-2023	Over or (Under) Budget	Percentage Collected
Expenditures: Class III	Final Budget 2022-2023	Expended 2022-2023	Over or Under Budget	Percentage Expended
Class I: Salaries/Benefits	\$11,704,752.00	\$5,115,214.69	(\$6,589,537.31)	44%
Class II: Service & Supplies	\$1,343,025.00	\$359,344.85	(\$983,680.15)	27%
Class III: Long Term Debt	\$138,040.00	\$107,186.81	(\$30,853.19)	78%
Class IV: Fixed Assets	\$678,500.00	\$1,436,415.74	\$757,915.74	212%
TOTALS	\$13,864,317.00	\$7,018,162.09	(\$6,846,154.91)	51%

Outside District Claim Form

District: El Dorado County Fire
Date: 9/1/2022
Prepared By: Kathleen Freeman
Contact Phone: 530-644-9630 # 104
 28 2022-23 9-1-2022 EDCF Bills

AUDITOR USE ONLY
DEPT: _____
FILE NAME: _____
AUDITED BY: _____
Date: _____

PLEASE INDICATE CHECK DISTRIBUTION
METHOD IN THE SPACE BELOW:

US MAIL: _____ **Return to District:** _____
Call/Email for pickup: _____ **530-644-9630 # 104**
Document Total: _____

\$189.33

PROCESSOR USE ONLY
BATCH: _____
Entered by: _____
Date: _____

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures:



ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	1553	0	A1033623	3.74	EDCF09012022	9/1/22	2	8561000	4197	EDCF Inv. A1033623 St-17	3.74	Pollock Pines True Value		
1	1553	0	A1034603	2.58	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1034603 St-17	2.58	Pollock Pines True Value		
1	1553	0	A1034609	18.21	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1034609 St-17	18.21	Pollock Pines True Value		
1	1553	0	A1036140	5.89	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1036140 St-17	5.89	Pollock Pines True Value		
1	1553	0	B740486	-1.61	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. B740486 Credit	-1.61	Pollock Pines True Value		
1	1553	0	A1036320	48.22	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1036320 St-17	48.22	Pollock Pines True Value		
1	1553	0	A1036408	25.27	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1036408 St-17	25.27	Pollock Pines True Value		
1	1553	0	A1038834	7.50	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1038834 St-17	7.50	Pollock Pines True Value		
1	1553	0	A1039983	18.04	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1039983 St-17	18.04	Pollock Pines True Value		
1	1553	0	A1040284	0.82	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1040284 St-17	0.82	Pollock Pines True Value		
1	1553	0	A1040349	11.88	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1040349 St-17	11.88	Pollock Pines True Value		
1	1553	0	A1040360	7.99	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1040360 St-17	7.99	Pollock Pines True Value		
1	1553	0	A140955	2.95	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A140955 St-17	2.95	Pollock Pines True Value		
1	1553	0	A1040957	11.79	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1040957 St-17	11.79	Pollock Pines True Value		
1	1553	0	A1040991	20.89	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1040991 St-17	20.89	Pollock Pines True Value		
1	1553	0	A1041179	6.91	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1041179 St-17	6.91	Pollock Pines True Value		
1	1553	0	A1041186	-1.74	EDCF09012022	09/01/22	2	8561000	4197	EDCF Inv. A1041186 Credit	-1.74	Pollock Pines True Value		

Outside District Claim Form

District: El Dorado County Fire	AUDITOR USE ONLY	PLEASE INDICATE CHECK DISTRIBUTION	PROCESSOR USE ONLY
Date: 9/1/2022	DEPT: _____	METHOD IN THE SPACE BELOW:	BATCH: _____
Prepared By: Kathleen Freeman		US MAIL: _____ Return to District: _____	
Contact Phone: 530-644-9630 # 104	FILE NAME: _____	Call/Email for pickup: 530-644-9630 # 104	Entered by: _____
29 2022-23 9-1-2022 EDCF Bills	AUDITED BY: _____	Document Total: \$20,113.17	Date: _____

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures:

ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	514	0	PT186691	-188.49	EDCF09012022	9/1/22	2	8561000	4022	EDCF Inv. PT186691 Credit	-188.49	L.N. Curtis & Sons, Inc.		
1	514	0	PT196080	-455.81	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. PT196080 Credit	-455.81	L.N. Curtis & Sons, Inc.		
1	514	0	PT197909	-55.62	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. PT197909 Credit	-55.62	L.N. Curtis & Sons, Inc.		
1	514	0	PT201897	-710.13	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. PT201897 Credit	-710.13	L.N. Curtis & Sons, Inc.		
1	514	0	CM32476	-13730.15	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. CM32476 Credit	-13730.15	L.N. Curtis & Sons, Inc.		
1	514	0	CM32484	-4081.94	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. CM32484 Credit	-4081.94	L.N. Curtis & Sons, Inc.		
1	514	0	INV609446	1518.36	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV609446 Nomex Pants	1518.36	L.N. Curtis & Sons, Inc.		
1	514	0	INV610643	3300.00	EDCF09012022	09/01/22	2	8561000	4140	EDCF Inv. INV610643 Hurst eDraulic Service	3300.00	L.N. Curtis & Sons, Inc.		
1	514	0	INV610015	5212.05	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV610015 Nomex Pants	5212.05	L.N. Curtis & Sons, Inc.		
1	514	0	INV615234	5810.08	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV615234 Nomex Pants	5810.08	L.N. Curtis & Sons, Inc.		
1	514	0	INV615271	1678.89	EDCF09012022	09/01/22	2	8561000	4507	EDCF Inv. INV615271 Foam	1678.89	L.N. Curtis & Sons, Inc.		
1	514	0	INV616402	949.27	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV616402 Nomex Pants	949.27	L.N. Curtis & Sons, Inc.		
1	514	0	INV616502	3135.85	EDCF09012022	09/01/22	2	8561000	4020	EDCF Inv. INV616502 Boots	3135.85	L.N. Curtis & Sons, Inc.		
1	514	0	INV617332	2453.32	EDCF09012022	09/01/22	2	8561000	6040	EDCF Inv. INV617332 PPE - Gloves	2453.32	L.N. Curtis & Sons, Inc.		
1	514	0	INV618672	9035.27	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV618672 Nomex Pants	9035.27	L.N. Curtis & Sons, Inc.		
1	514	0	INV620234	447.29	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV620234 Nomex Pants	447.29	L.N. Curtis & Sons, Inc.		
1	514	0	INV620184	1135.22	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV620184 Nomex Pants	1135.22	L.N. Curtis & Sons, Inc.		
1	514	0	INV620166	3042.97	EDCF09012022	09/01/22	2	8561000	4507	EDCF Inv. INV620166 Foam	3042.97	L.N. Curtis & Sons, Inc.		
1	514	0	INV622316	385.63	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV622316 Nomex Pants	385.63	L.N. Curtis & Sons, Inc.		
1	514	0	INV626354	571.11	EDCF09012022	09/01/22	2	8561000	4022	EDCF Inv. INV626354 Nomex Pants	571.11	L.N. Curtis & Sons, Inc.		
1	514	0	INV627966	660.00	EDCF09012022	09/01/22	2	8561000	4140	EDCF Inv. INV627966 Hurst eDraulic Service	660.00	L.N. Curtis & Sons, Inc.		

Outside District Claim Form

District:	El Dorado County Fire	AUDITOR USE ONLY
Date:	9/6/2022	
Prepared By:	Kathleen Freeman	
Contact Phone:	530-644-9630 # 104	
30 2022-23 9-6-2022 EDCF Bills		FILE NAME:
		AUDITED BY:
		Date:

PLEASE INDICATE CHECK DISTRIBUTION		PROCESSOR USE ONLY
METHOD IN THE SPACE BELOW:		
US MAIL:	Return to District:	BATCH:
Call/Email for pickup:	530-644-9630 # 104	Entered by:
Document Total:		Date:
\$115,453.68		

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures:



ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	559	0	241969	63.10	EDCF09062022	9/6/22	2	8561000	4162	EDCF Inv. 241969 O-Ring	63.10	AllStar Fire Equipment Inc.		
1	559	0	241819	4801.90	EDCF09062022	09/06/22	2	8561000	4507	EDCF Inv. 241819 Wildland Hose	4801.90	AllStar Fire Equipment Inc.		
1	559	0	242037	998.77	EDCF09062022	09/06/22	2	8561000	4162	EDCF Inv. 242037	998.77	AllStar Fire Equipment Inc.		
1	12416	0	09012022-20	149.00	EDCF09062022	09/06/22	2	8561000	4536	EDCF Inv. 09012022-20 Retiree Opt-Out Sept. 202	149.00	Arellano, Vergil		
1	3200	0	92764-1	52.50	EDCF09062022	09/06/22	2	8561000	4021	EDCF Inv. 92764-1 FATS Tags	52.50	Arnolds For Awards, Inc.		
1	3200	0	92764-2	84.24	EDCF09062022	09/06/22	2	8561000	4022	EDCF Inv. 92764-2 Name Tags	84.24	Arnolds For Awards, Inc.		
1	3200	0	97726-1	42.00	EDCF09062022	09/06/22	2	8561000	4021	EDCF Inv. 97726-1 FATS Tags	42.00	Arnolds For Awards, Inc.		
1	3200	0	97726-2	67.40	EDCF09062022	09/06/22	2	8561000	4022	EDCF Inv. 97726-2 Name Tags	67.40	Arnolds For Awards, Inc.		
1	3200	0	93028	338.78	EDCF09062022	09/06/22	2	8561000	4300	EDCF Inv. 93028 Plaque's	338.78	Arnolds For Awards, Inc.		
1	3235	0	MAR0000020244	540.00	EDCF09062022	09/06/22	2	8561000	4300	EDCF Inv. MAR0000020244 2Q22 Administration F	540.00	AUL Mid America Administrative		
1	1483	0	09022022-01	150.00	EDCF09062022	09/06/22	2	8561001	4617	EDCF Inv. 09022022-01 ACLS Recert Reimburse	150.00	Borrego, Tony		
1	4934	0	1-755920	960.94	EDCF09062022	09/06/22	2	8561000	4162	EDCF Inv. 1-755920 E-17	960.94	C & H Motor Parts, Inc.		
1	4934	0	1-758248	203.27	EDCF09062022	09/06/22	2	8561000	4162	EDCF Inv. 1-758248 Maintnace	203.27	C & H Motor Parts, Inc.		
1	4934	0	1-754679	109.43	EDCF09062022	09/06/22	2	8561000	4162	EDCF Inv. 1-754679 Maintnace	109.43	C & H Motor Parts, Inc.		
1	933	0	13284	662.00	EDCF09062022	09/06/22	2	8561000	4180	EDCF Inv. 13284 St-72	662.00	California Overhead Doors		
1	544	0	126153	950.90	EDCF09062022	09/06/22	2	8561000	6040	EDCF Inv. 126153 Wildland PPE	950.90	Cascade Fire Equipment Co		
1	544	0	126103	164.43	EDCF09062022	09/06/22	2	8561000	4162	EDCF Inv. 126103 Hose Clamp Holder	164.43	Cascade Fire Equipment Co		
1	544	0	125511-2	14.42	EDCF09062022	09/06/22	2	8561000	4020	EDCF Inv. 125511-2 Boots-Credit for Return Appld	14.42	Cascade Fire Equipment Co		
1	1491	0	08122022-01	0.37	EDCF09062022	09/06/22	2	8561000	4040	EDCF Inv. 08122022-01 Acct. 8155600520004352	0.37	Comcast		
1	1491	0	08252022-01	150.94	EDCF09062022	09/06/22	2	8561000	4040	EDCF Inv. 08252022-01 Acct. 8155600510591228	150.94	Comcast		
1	12345	1	07262022-07	350.00	EDCF09062022	09/06/22	2	8561001	4020	EDCF Inv. 07262022-07 Wildland Boot Reimbursen	350.00	Davis, Dakota		
1	12345	1	07262022-08	350.00	EDCF09062022	09/06/22	2	8561000	4020	EDCF Inv. 07262022-08 Structural Boot Reimbursn	350.00	Davis, Dakota		

Authorizing signatures:

1	41	0	BE005110606-01	7256.75	EDCF09062022	09/06/22	2	8561000	3040	EDCF Inv. BE005110606-01 Dist. Dental Sept. 2022	7256.75	Delta Dental
1	41	0	BE005110606-2	1864.01	EDCF09062022	09/06/22	2	8561001	3040	EDCF Inv. BE005110606-2 JPA Dental Sept. 2022	1864.01	Delta Dental
1	1006	0	EDCESA202217	6444.24	EDCF09062022	09/06/22	2	8561000	4461	EDCF Inv. EDCESA202217 AVL Equipment	6444.24	El Dorado Co. Regional Prenospital IDA
1	1006	0	EDCESA202208	23669.97	EDCF09062022	09/06/22	2	8561000	4040	EDCF Inv. EDCESA202208 Q4 FY 21-22 Dispatch	23669.97	El Dorado Co. Regional Prenospital IDA
1	367	0	09062022-01	50.00	EDCF09062022	09/06/22	2	8561000	4220	EDCF Inv. 09062022-01 FY 22-23 Membership Due	50.00	EDC Fire Protection Officer's Assn
1	21	0	174440178U030	145.08	EDCF09062022	09/06/22	2	8561000	4085	EDCF Inv. 174440178U030 Acct. 4030-6047719 St	145.08	El Dorado Disposal
1	21	0	174440091U030	143.00	EDCF09062022	09/06/22	2	8561000	4085	EDCF Inv. 174440091U030 Acct. 403-6062081 St-7	143.00	El Dorado Disposal
1	21	0	174440033U030	143.00	EDCF09062022	09/06/22	2	8561000	4085	EDCF Inv. 174440033U030 Acct. 4030-6062262 St-7	143.00	El Dorado Disposal
1	21	0	174439306U030	228.99	EDCF09062022	09/06/22	2	8561000	4085	EDCF Inv. 174439306U030 Acct. 4030-30036-001 St-7	228.99	El Dorado Disposal
1	46	0	08192022-01	133.97	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08192022-01 Acct. 118458-001 St-21	133.97	El Dorado Irrigation District
1	46	0	08152022-01	128.17	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08152022-01 Acct. 006352-001 St-17	128.17	El Dorado Irrigation District
1	46	0	08152022-02	74.92	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08152022-02 Acct. 009878-001 St-15	74.92	El Dorado Irrigation District
1	2654	0	017640/1	30.07	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 017640/1 St-28	30.07	Gold Country Ace Hardware and Hobbies
1	2654	0	017656/1	21.55	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 017656/1 St-28	21.55	Gold Country Ace Hardware and Hobbies
1	2654	0	017834/1	36.66	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 017834/1 St-28	36.66	Gold Country Ace Hardware and Hobbies
1	2654	0	17641/1	-0.58	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 17641/1 Credit	-0.58	Gold Country Ace Hardware and Hobbies
1	3460	0	32177611	1232.10	EDCF09062022	09/06/22	2	8561000	4420	EDCF Inv. 32177611 Copy Machine Lease	1232.10	GreatAmerica Financial Services Corp
1	2532	0	69003	612.54	EDCF09062022	09/06/22	2	8561000	4140	EDCF Inv. 69003 St-28	612.54	Hangtown Fire Control
1	514	0	743331	21267.68	EDCF09062022	09/06/22	2	8561000	6040	EDCF Inv. 743331 Structural PPE	21267.68	L.N. Curtis & Sons, Inc.
1	514	0	PINV752100	330.33	EDCF09062022	09/06/22	2	8561000	4507	EDCF Inv. PINV752100 Suction Hose	330.33	L.N. Curtis & Sons, Inc.
1	4984	1	1244679	680.82	EDCF09062022	09/06/22	2	8561000	4500	EDCF Inv. 1244679 St-19	680.82	Life Assist
1	4984	1	1244827	174.02	EDCF09062022	09/06/22	2	8561000	4500	EDCF Inv. 1244827 St-72	174.02	Life Assist
1	4984	1	1238948	44.49	EDCF09062022	09/06/22	2	8561000	4500	EDCF Inv. 1238948 St-19	44.49	Life Assist
1	4984	1	1217697	90.68	EDCF09062022	09/06/22	2	8561000	4500	EDCF Inv. 1217697 St-17	90.68	Life Assist
1	62	0	08112022-01	757.07	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08112022-01 Acct. 9361049424-2 St-19	757.07	Pacific Gas & Electric, Inc.
1	62	0	08112022-02	9.97	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08112022-02 Acct. 8642934189-3 St-18	9.97	Pacific Gas & Electric, Inc.
1	62	0	08112022-03	21.16	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08112022-03 Acct. 6720534296-6 St-74	21.16	Pacific Gas & Electric, Inc.
1	62	0	08172022-01	1227.44	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08172022-01 Acct. 2463807959-0 St-21	1227.44	Pacific Gas & Electric, Inc.
1	62	0	08162022-01	1325.21	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08162022-01 Acct. 9160165239-8 St-25	1325.21	Pacific Gas & Electric, Inc.
1	62	0	08162022-02	1438.83	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08162022-02 Acct. 0294455775-6 St-72	1438.83	Pacific Gas & Electric, Inc.
1	62	0	08182022-01	869.34	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08182022-01 Acct. 4198633477-3 St-17	869.34	Pacific Gas & Electric, Inc.
1	62	0	08242022-01	2017.44	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08242022-01 Acct. 9563044298-6 St-28	2017.44	Pacific Gas & Electric, Inc.
1	62	0	08252022-02	103.28	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08252022-02 Acct. 4577462625-8 St-16	103.28	Pacific Gas & Electric, Inc.
1	62	0	08182022-02	9.60	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08182022-02 Acct. 5707449531-8 St-19	9.60	Pacific Gas & Electric, Inc.
1	62	0	08182022-03	796.71	EDCF09062022	09/06/22	2	8561000	4700	EDCF Inv. 08182022-03 Acct. 7501192011-5 Gold	796.71	Pacific Gas & Electric, Inc.
1	239	0	140832/1	9.21	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 140832/1 St-19	9.21	Pleasant Valley Ace, Inc.
1	239	0	140894/1	14.65	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 140894/1 St-19	14.65	Pleasant Valley Ace, Inc.
1	239	0	140438/1	162.20	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 140438/1 St-19	162.20	Pleasant Valley Ace, Inc.
1	239	0	141265/1	90.70	EDCF09062022	09/06/22	2	8561000	4617	EDCF Inv. 141265/1 St-19	90.70	Pleasant Valley Ace, Inc.
1	239	0	141383/1	197.76	EDCF09062022	09/06/22	2	8561000	4617	EDCF Inv. 141383/1 St-19	197.76	Pleasant Valley Ace, Inc.
1	3193	0	11700	9.24	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 11700 St-25	9.24	Placerville Hardware
1	3193	0	117144	81.58	EDCF09062022	09/06/22	2	8561000	4197	EDCF Inv. 117144 St-25	81.58	Placerville Hardware
1	3337	0	19042	7946.26	EDCF09062022	09/06/22	2	8561000	4300	EDCF Inv. 19042 Platinum Service Plan Sept. 2022	7946.26	RTS IT

Outside District Claim Form

District: El Dorado County Fire
Date: 9/7/2022
Prepared By: Kathleen Freeman
Contact Phone: 530-644-9630 # 104
 33 2022-23 9-7-2022 EDCF Bills

AUDITOR USE ONLY
 DEPT: _____
 FILE NAME: _____
 AUDITED BY: _____
 Date: _____

PLEASE INDICATE CHECK DISTRIBUTION
 METHOD IN THE SPACE BELOW:

US MAIL: _____ Return to District: _____
 Call/Email for pickup: 530-644-9630 # 104
 Document Total: **\$3,062.10**

PROCESSOR USE ONLY
 BATCH: _____
 Entered by: _____
 Date: _____

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures: 


ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	4366	1	OC-1711671	14.15	EDCF0907202	9/7/22	2	8561000	4162	EDCF Inv. OC-1711671	14.15	Napa Auto Parts		
1	4366	1	534919	350.13	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 534919	350.13	Napa Auto Parts		
1	4366	1	535004	81.70	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535004 E-25	81.70	Napa Auto Parts		
1	4366	1	535017	161.59	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535017 7703	161.59	Napa Auto Parts		
1	4366	1	471552	64.67	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 471552 OES	64.67	Napa Auto Parts		
1	4366	1	535186	247.48	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535186 E-17	247.48	Napa Auto Parts		
1	4366	1	535261	37.26	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535261 E-17	37.26	Napa Auto Parts		
1	4366	1	472018	60.12	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 472018 E-25	60.12	Napa Auto Parts		
1	4366	1	527797	335.64	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 527797 OES	335.64	Napa Auto Parts		
1	4366	1	535479	547.64	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535479 E-317	547.64	Napa Auto Parts		
1	4366	1	535518	183.49	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535518	183.49	Napa Auto Parts		
1	4366	1	535543	57.19	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535543 E-17	57.19	Napa Auto Parts		
1	4366	1	535572	128.11	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535572	128.11	Napa Auto Parts		
1	4366	1	473716	33.59	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 473716 E-23	33.59	Napa Auto Parts		
1	4366	1	535679	62.23	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 535679	62.23	Napa Auto Parts		
1	4366	1	536126	14.27	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 536126	14.27	Napa Auto Parts		
1	4366	1	530102	265.10	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 530102 E-28	265.10	Napa Auto Parts		
1	4366	1	536229	17.57	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 536229 E-21	17.57	Napa Auto Parts		
1	4366	1	536253	286.07	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 536253	286.07	Napa Auto Parts		
1	4366	1	476262	25.18	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 476262 7702	25.18	Napa Auto Parts		
1	4366	1	530673	38.47	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 530673	38.47	Napa Auto Parts		
1	4366	1	536531	50.45	EDCF0907202	09/07/22	2	8561000	4162	EDCF Inv. 536531 E-17	50.45	Napa Auto Parts		

Outside District Claim Form

District:	El Dorado County Fire	AUDITOR USE ONLY
Date:	9/7/2022	
Prepared By:	Kathleen Freeman	
Contact Phone:	530-644-9630 # 104	
32 2022-23 9-7-2022 EDCF Bills		FILE NAME: _____
		AUDITED BY: _____

PLEASE INDICATE CHECK DISTRIBUTION METHOD IN THE SPACE BELOW:		PROCESSOR USE ONLY
US MAIL:	Return to District:	BATCH:
Call/Email for pickup: 530-644-9630 # 104		Entered by:
Document Total:		Date:
\$2,623.72		

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures:


ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	4366	1	OC-1690640	13.79	EDCF09072022	9/7/22	2	8561000	4162	EDCF Inv. OC-1690640	13.79	Napa Auto Parts		
1	4366	1	464082	357.94	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 464082	357.94	Napa Auto Parts		
1	4366	1	533063	128.66	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 533063 E-17	128.66	Napa Auto Parts		
1	4366	1	464304	-357.94	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 464304 Credit	-357.94	Napa Auto Parts		
1	4366	1	464791	24.68	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 464791 OES	24.68	Napa Auto Parts		
1	4366	1	533324	23.92	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 533324 E-17	23.92	Napa Auto Parts		
1	4366	1	533411	38.47	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 533411 E-17	38.47	Napa Auto Parts		
1	4366	1	533473	-68.18	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 533473 Credit	-68.18	Napa Auto Parts		
1	4366	1	465594	16.98	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 465594 7702	16.98	Napa Auto Parts		
1	4366	1	465838	644.08	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 465838 E-25	644.08	Napa Auto Parts		
1	4366	1	465883	-108.00	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 465883 Credit	-108.00	Napa Auto Parts		
1	4366	1	466642	298.76	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 466642	298.76	Napa Auto Parts		
1	4366	1	533915	366.74	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 533915 E-72	366.74	Napa Auto Parts		
1	4366	1	534013	-35.59	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 534013 Credit	-35.59	Napa Auto Parts		
1	4366	1	467344	2.90	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 467344 E-19	2.90	Napa Auto Parts		
1	4366	1	534068	6.69	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 534068 S-21	6.69	Napa Auto Parts		
1	4366	1	524331	10.62	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 524331	10.62	Napa Auto Parts		
1	4366	1	468711	12.59	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 468711	12.59	Napa Auto Parts		
1	4366	1	468716	17.44	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 468716 E-19	17.44	Napa Auto Parts		
1	4366	1	534622	21.44	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 534622 7721	21.44	Napa Auto Parts		
1	4366	1	525745	512.87	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 525745 e-28	512.87	Napa Auto Parts		
1	4366	1	525747	8.14	EDCF09072022	09/07/22	2	8561000	4162	EDCF Inv. 525747 E-28	8.14	Napa Auto Parts		

Outside District Claim Form

District: **El Dorado County Fire**
 Date: **9/20/2022**
 Prepared By: **Kathleen Freeman**
 Contact Phone: **530-644-9630 # 104**
36 2022-23 9-20-2022 EDCF Bills

AUDITOR USE ONLY
 DEPT: _____
 FILE NAME: _____

PLEASE INDICATE CHECK DISTRIBUTION
 METHOD IN THE SPACE BELOW:
 US MAIL: _____ Return to District: _____
 Call/Email for pickup: _____ 530-644-9630 # 1
 Document Total: **\$15,936.16**
 BATCH: _____
 Entered by: _____
 Date: _____

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures: *Paul McVay*

ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	9094	0	10012022-02	149.00	EDCF09202022	9/20/22	2	8561000	4536	EDCF Inv. 10012022-02 Retiree Opt-Out Oct. 2022	149.00	Steele, Phillip		
1	12416	0	10012022-03	149.00	EDCF09202022	09/20/22	2	8561000	4536	EDCF Inv. 10012022-03 Retiree Opt-Out Oct. 2022	149.00	Arellano, Vergil		
1	5145	0	10012022-04	625.00	EDCF09202022	09/20/22	2	8561000	4536	EDCF Inv. 10012022-04 Retiree Opt-Out Oct. 2022	625.00	Campbell, Mike		
1	7828	0	10012022-05	625.00	EDCF09202022	09/20/22	2	8561000	4536	EDCF Inv. 10012022-05 Retiree Opt-Out Oct. 2022	625.00	Lewis, Scott		
1	6306	0	10012022-06	625.00	EDCF09202022	09/20/22	2	8561000	4536	EDCF Inv. 10012022-06 Retiree Opt-Out Oct. 2022	625.00	Littlejohn, Alan		
1	1633	0	10012022-07	625.00	EDCF09202022	09/20/22	2	8561000	4536	EDCF Inv. 10012022-07 Retiree Opt-Out Oct. 2022	625.00	Hunt, Bradley		
1	3235	0	11012022-01	11424.00	EDCF09202022	09/20/22	2	8561000	3040	EDCF Inv. 11012022-01 Retiree Health Nov. 2022	11424.00	AUL Mid America Administrative		
1	4725	00	10012022-08	1076.80	EDCF09202022	09/20/22	2	8561000	3044	EDCF Inv. 10012022-08 Dist. Vision Oct. 2022	1076.80	FDAC EBA		
1	4725	00	10012022-09	205.20	EDCF09202022	09/20/22	2	8561000	4100	EDCF Inv. 10012022-09 Dist. Life Oct. 2022	205.20	FDAC EBA		
1	4725	00	10012022-10	41.60	EDCF09202022	09/20/22	2	8561000	4300	EDCF Inv. 10012022-10 Dist. EAP Oct. 2022	41.60	FDAC EBA		
1	4725	00	10012022-11	372.33	EDCF09202022	09/20/22	2	8561001	3044	EDCF Inv. 10012022-11 JPA Vision Oct. 2022	372.33	FDAC EBA		
1	4725	00	10012022-12	2.23	EDCF09202022	09/20/22	2	8561001	4100	EDCF Inv. 10012022-12 JPA Life Oct. 2022	2.23	FDAC EBA		
1	4725	00	10012022-13	16.00	EDCF09202022	09/20/22	2	8561001	4300	EDCF Inv. 10012022-13 JPA EAP Oct. 2022	16.00	FDAC EBA		

Outside District Claim Form

District:	El Dorado County Fire	AUDITOR USE ONLY
Date:	9/29/2022	
Prepared By:	Kathleen Freeman	
Contact Phone:	530-644-9630 # 104	
41 2022-23 9-29-2022 EDCF Bills		DEPT: _____
		FILE NAME: _____
		AUDITED BY: _____
		Date: _____

PLEASE INDICATE CHECK DISTRIBUTION		PROCESSOR USE ONLY
METHOD IN THE SPACE BELOW:		
US MAIL:	Return to District:	BATCH:
Call/Email for pickup:	530-644-9630 # 104	Entered by:
Document Total:	\$18,672.30	Date:

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures:

ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC:
1	1080	0	07292022-01	65.72	EDCF09292022	9/29/22	2	8561000	2	EDCF Inv. 07292022-01 KF St-74	65.72	US Bank		
1	1080	0	08012022-25	30.00	EDCF09292022	09/29/22	2	8561000	4040	EDCF Inv. 08012022-25 KF St-72	30.00	US Bank		
1	1080	0	08012022-26	579.55	EDCF09292022	09/29/22	2	8561000	4085	EDCF Inv. 08012022-26 KF Dumpster St-23	579.55	US Bank		
1	1080	0	08012022-27	96.64	EDCF09292022	09/29/22	2	8561000	4040	EDCF Inv. 08012022-27 KF St-72	96.64	US Bank		
1	1080	0	08012022-28	142.70	EDCF09292022	09/29/22	2	8561000	4040	EDCF Inv. 08012022-28 KF St-74	142.70	US Bank		
1	1080	0	08022022-01	294.00	EDCF09292022	09/29/22	2	8561000	4300	EDCF Inv. 08022022-01 KF Employee Background	294.00	US Bank		
1	1080	0	08042022-01	27.50	EDCF09292022	09/29/22	2	8561000	4261	EDCF Inv. 08042022-01 KF Postage	27.50	US Bank		
1	1080	0	08062022-02	14.99	EDCF09292022	09/29/22	2	8561000	4539	EDCF Inv. 08062022-02 KF Zoom	14.99	US Bank		
1	1080	0	08072022-01	14.99	EDCF09292022	09/29/22	2	8561000	4539	EDCF Inv. 08072022-01 KF Adobe	14.99	US Bank		
1	1080	0	0804222-02	107.72	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 0804222-02 KF St-21	107.72	US Bank		
1	1080	0	08072022-02	74.49	EDCF09292022	09/29/22	2	8561000	4260	EDCF Inv. 08072022-02 KF Office Supplies	74.49	US Bank		
1	1080	0	08112022-04	309.37	EDCF09292022	09/29/22	2	8561000	4060	EDCF Inv. 08112022-04 KF Badge Pinning	309.37	US Bank		
1	1080	0	08112022-05	64.29	EDCF09292022	09/29/22	2	8561000	4606	EDCF Inv. 08112022-05 KF Fuel U-21	64.29	US Bank		
1	1080	0	08162022-03	16.08	EDCF09292022	09/29/22	2	8561000	4539	EDCF Inv. 08162022-03 KF Prime	16.08	US Bank		
1	1080	0	08152022-04	336.55	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08152022-04 KF PO Close Out	336.55	US Bank		
1	1080	0	08182022-04	43.91	EDCF09292022	09/29/22	2	8561000	4700	EDCF Inv. 08182022-04 KF St-21	43.91	US Bank		
1	1080	0	08192022-02	137.94	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08192022-02 KF St-21 Supplies	137.94	US Bank		
1	1080	0	07282022-02	22.95	EDCF09292022	09/29/22	2	8561000	4261	EDCF Inv. 07282022-02 E17 Postage	22.95	US Bank		
1	1080	0	08062022-03	127.82	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08062022-03 E17 St-19 Air Filters	127.82	US Bank		
1	1080	0	08112022-06	64.94	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08112022-06 E17 St-19	64.94	US Bank		
1	1080	0	07282022-03	117.56	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 07282022-03 E28 St-48	117.56	US Bank		
1	1080	0	08042022-03	187.69	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 08042022-03 E28 E-28 Cooler	187.69	US Bank		

Authorizing signatures:

1	1080	0	08092022-01	229.16	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08092022-01 E28 St-48	229.16	US Bank
1	1080	0	08092022-02	138.35	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 08092022-02 E28 Cooler	138.35	US Bank
1	1080	0	08162022-04	37.53	EDCF09292022	09/29/22	2	8561000	4040	EDCF Inv. 08162022-04 E28 E-28	37.53	US Bank
1	1080	0	08042022-04	37.15	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08042022-04 E72 St-72	37.15	US Bank
1	1080	0	08142022-01	11.79	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08142022-01 E72 St-72	11.79	US Bank
1	1080	0	08152022-05	13.28	EDCF09292022	09/29/22	2	8561000	4261	EDCF Inv. 08152022-05 E72 Postage	13.28	US Bank
1	1080	0	07312022-01	69.20	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 07312022-01 E25 E-25	69.20	US Bank
1	1080	0	08122022-07	9.81	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08122022-07 E25 St-25	9.81	US Bank
1	1080	0	08122022-02	146.11	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08122022-02 E25 St-25	146.11	US Bank
1	1080	0	08022022-02	0.99	EDCF09292022	09/29/22	2	8561000	4539	EDCF Inv. 08022022-02 PM	0.99	US Bank
1	1080	0	08152022-06	160.85	EDCF09292022	09/29/22	2	8561000	4500	EDCF Inv. 08152022-06 PM Training Guide	160.85	US Bank
1	1080	0	07302022-01	20.98	EDCF09292022	09/29/22	2	8561000	6020	EDCF Inv. 07302022-01 TW Facilities	20.98	US Bank
1	1080	0	08042022-04	9.99	EDCF09292022	09/29/22	2	8561000	4539	EDCF Inv. 08042022-04 TW Spolify	9.99	US Bank
1	1080	0	08112022-08	76.13	EDCF09292022	09/29/22	2	8561000	4085	EDCF Inv. 08112022-08 TW St-23	76.13	US Bank
1	1080	0	08122022-03	-75.00	EDCF09292022	09/29/22	2	8561000	4085	EDCF Inv. 08122022-03 TW Credit	-75.00	US Bank
1	1080	0	07272022-01	252.23	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 07272022-01 WS Work Gloves	252.23	US Bank
1	1080	0	07292022-02	51.36	EDCF09292022	09/29/22	2	8561000	4080	EDCF Inv. 07292022-02 WS Supplies	51.36	US Bank
1	1080	0	08082022-01	65.00	EDCF09292022	09/29/22	2	8561000	4080	EDCF Inv. 08082022-01 WS Coffee	65.00	US Bank
1	1080	0	08082022-02	65.00	EDCF09292022	09/29/22	2	8561000	4080	EDCF Inv. 08082022-02 WS Coffee	65.00	US Bank
1	1080	0	08082022-03	65.00	EDCF09292022	09/29/22	2	8561000	4080	EDCF Inv. 08082022-03 WS Coffee	65.00	US Bank
1	1080	0	08082022-04	65.00	EDCF09292022	09/29/22	2	8561000	4080	EDCF Inv. 08082022-04 WS Coffee	65.00	US Bank
1	1080	0	08112022-10	4.27	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08112022-10 SA St-21	4.27	US Bank
1	1080	0	08102022-02	79.99	EDCF09292022	09/29/22	2	8561000	4080	EDCF Inv. 08102022-02 WS Coffee	79.99	US Bank
1	1080	0	08202022-01	305.40	EDCF09292022	09/29/22	2	8561000	4021	EDCF Inv. 08202022-01 WS Hose Clamp Pouch	305.40	US Bank
1	1080	0	07282022-04	244.44	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 07282022-04 LL Water Blades	244.44	US Bank
1	1080	0	07312022-03	1009.93	EDCF09292022	09/29/22	2	8561000	4142	EDCF Inv. 07312022-03 LL Radio Straps	1009.93	US Bank
1	1080	0	08022022-03	116.07	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08022022-03 LL Filter	116.07	US Bank
1	1080	0	08032022-02	134.04	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08032022-02 LL St-21 Supplies	134.04	US Bank
1	1080	0	08052022-03	21.59	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 08052022-03 LL St-21 Supplies	21.59	US Bank
1	1080	0	08092022-03	167.24	EDCF09292022	09/29/22	2	8561000	4260	EDCF Inv. 08092022-03 LL Office Supplies	167.24	US Bank
1	1080	0	08092022-04	202.69	EDCF09292022	09/29/22	2	8561000	4260	EDCF Inv. 08092022-04 BS Prevention Chair	202.69	US Bank
1	1080	0	08122022-09	14.99	EDCF09292022	09/29/22	2	8561000	4539	EDCF Inv. 08122022-09 GA Adobe	14.99	US Bank
1	1080	0	08192022-03	273.48	EDCF09292022	09/29/22	2	8561000	4260	EDCF Inv. 08192022-03 GA Chief File Cabinet	273.48	US Bank
1	1080	0	07272022-02	34.24	EDCF09292022	09/29/22	2	8561000	4197	EDCF Inv. 07272022-02 SA St-23	34.24	US Bank
1	1080	0	none	1891.01	EDCF09292022	09/29/22	2	8561000	6020	EDCF Inv.07292022-03 SA Training Ground Materi	1891.01	US Bank
1	1080	0	08152022-07	-494.70	EDCF09292022	09/29/22	2	8561000	6020	EDCF Inv. 08152022-07 SA Credit	-494.70	US Bank
1	1080	0	08152022-08	2637.44	EDCF09292022	09/29/22	2	8561000	6020	EDCF Inv. 08152022-08 SA Training Ground Materi	2637.44	US Bank
1	1080	0	08172022-02	477.29	EDCF09292022	09/29/22	2	8561000	6020	EDCF Inv. 08172022-02 SA Training Ground Materi	477.29	US Bank
1	1080	0	08102022-03	42.27	EDCF09292022	09/29/22	2	8561000	4040	EDCF Inv. 08102022-03 LS Charger	42.27	US Bank
1	1080	0	08132022-01	114.39	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 08132022-01 MD Filter	114.39	US Bank
1	1080	0	08132022-02	114.39	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 08132022-02 MD Filters	114.39	US Bank
1	1080	0	08122022-04	77.50	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 08122022-04 MD Polaris Oil Change Kit	77.50	US Bank
1	1080	0	08132022-03	97.60	EDCF09292022	09/29/22	2	8561000	4162	EDCF Inv. 08132022-03 MD Fleetguard Fuel Kit	97.60	US Bank

Outside District Claim Form

District:	El Dorado County Fire	AUDITOR USE ONLY	
Date:	9/28/2022		
Prepared By:	Kathleen Freeman		DEPT:
Contact Phone:	530-644-9630 # 104		FILE NAME:
40 2022-23 9-28-2022 EDCF Bills		AUDITED BY:	Date:

PLEASE INDICATE CHECK DISTRIBUTION		PROCI
METHOD IN THE SPACE BELOW:		
US MAIL:	Return to District:	BATCH#:
Call/Email for pickup:	530-644-9630 # 104	Entered by:
Document Total:	\$59,642.39	Date:

THE ARTICLES FOR SERVICES DESCRIBED BY THE INVOICE(S) ATTACHED AND LISTED BELOW WERE APPROVED AND ARE INCLUDED IN THE DISTRICT BUDGET THAT HAS BEEN ADOPTED BY THE BOARD OF DIRECTORS AND WERE NECESSARY FOR USE BY THE DISTRICT AND HAVE BEEN DELIVERED OR PERFORMED AND THAT NO PRIOR CLAIM HAS BEEN PRESENTED FOR SAID ARTICLES OR SERVICES. I FURTHER CERTIFY I AM AUTHORIZED BY THE BOARD OF DIRECTORS TO APPROVE PAYMENT REQUESTS TO THE AUDITOR-CONTROLLER FOR THE ATTACHED INVOICE(S).

Authorizing signatures:

ALWAYS 1	VENDOR	SUFFIX	Invoice Number (Limit 20)	AMOUNT	FILE NAME	DATE	ALWAYS 2	ORG	OBJECT	DESCRIPTION (LIMIT 50 CHARACTERS)	AMOUNT	VENDOR NAME	SEPARATE CHECK	DOC#
1	559	0	242283	1621.62	EDCF09282022	9/28/22	2	8561000	4162	EDCF Inv. 242283 Seals	1621.62	AllStar Fire Equipment Inc.		
1	2580	0	D485165	4768.70	EDCF09282022	09/28/22	2	8561000	3040	EDCF Inv. D485165 Aug. 2022 Premiums	4768.70	American Fidelity		
1	2580	0	D496174	4539.62	EDCF09282022	09/28/22	2	8561000	3040	EDCF Inv. D496174 Sept. 2022 Premiums	4539.62	American Fidelity		
1	241	0	805465806	471.28	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 805465806 Acct. 200737467 St-25	471.28	Amerigas, Inc.		
1	3200	0	93184-1	21.00	EDCF09282022	09/28/22	2	8561000	4021	EDCF Inv. 93184-1 FATS Tags	21.00	Arnolds For Awards, Inc.		
1	3200	0	93184-2	33.70	EDCF09282022	09/28/22	2	8561000	4022	EDCF Inv. 93184-2 Name Tags	33.70	Arnolds For Awards, Inc.		
1	3200	0	93248	257.40	EDCF09282022	09/28/22	2	8561000	4142	EDCF Inv. 93248 Radio Tags	257.40	Arnolds For Awards, Inc.		
1	3200	0	98764	338.78	EDCF09282022	09/28/22	2	8561000	4300	EDCF Inv. 98764 Plaques	338.78	Arnolds For Awards, Inc.		
1	604	1	287312327106X9102022	433.41	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 287312327106X9102022 Cell Service	433.41	AT&T Mobility		
1	1965	1	10333	85.00	EDCF09282022	09/28/22	2	8561000	4324	EDCF Inv. 10333 DMV Physical - Stirling	85.00	ADM Screening		
1	4934	0	757613	274.45	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. 757613 E-28	274.45	C & H Motor Parts, Inc.		
1	4934	0	757913	1206.05	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. 757913	1206.05	C & H Motor Parts, Inc.		
1	4934	0	758137	15.44	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. 758137 E-17	15.44	C & H Motor Parts, Inc.		
1	4934	0	758248	203.27	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. 758248 E-17	203.27	C & H Motor Parts, Inc.		
1	487	0	1737071	113.34	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. 1737071	113.34	Capitol Clutch And Brake, Inc.		
1	544	0	126678	3321.70	EDCF09282022	09/28/22	2	8561000	6040	EDCF Inv. 126678 Wildland PPE	3321.70	Cascade Fire Equipment Co		
1	544	0	126456	88.73	EDCF09282022	09/28/22	2	8561000	6040	EDCF Inv. 126456 Wildland PPE	88.73	Cascade Fire Equipment Co		
1	72	0	09142022-01	697.25	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09142022-01 Acct. 8987-5172 St-25	697.25	City Of Placerville		
1	1491	0	09172022-01	87.52	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 09172022-01 Acct.8155600520004352	87.52	Comcast		
1	1491	0	09232022-01	236.19	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 09232022-01 Acct.8155600510102943	236.19	Comcast		
1	1491	0	09062022-03	146.19	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 09062022-03 Acct.8155600510591210	146.19	Comcast		
1	1491	0	09032022-03	146.09	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 09032022-03 Acct.8155600520285746	146.09	Comcast		

Authorizing signatures:

1	8765	0	2202117	7016.88	EDCF09282022	09/28/22	2	8561000	4300	EDCF Inv. 2202117 First Responder Fee	7016.88	DTA
1	8765	0	2205138	5306.77	EDCF09282022	09/28/22	2	8561000	4300	EDCF Inv. 2205138 First Responder Fee	5306.77	DTA
1	21	0	174439326U030	132.24	EDCF09282022	09/28/22	2	8561000	4085	EDCF Inv. 174439326U030 Acct. 4030-300213 St-1	132.24	El Dorado Disposal
1	21	0	174438789U030	198.35	EDCF09282022	09/28/22	2	8561000	4085	EDCF Inv. 174438789U030 Acct. 4030-300214 St-2	198.35	El Dorado Disposal
1	21	0	174438962U030	232.28	EDCF09282022	09/28/22	2	8561000	4085	EDCF Inv. 174438962U030 Acct. 4030-30039868 St-2	232.28	El Dorado Disposal
1	21	0	174439305U030	198.35	EDCF09282022	09/28/22	2	8561000	4085	EDCF Inv. 174439305U030 Acct. 4030-500428 St-2	198.35	El Dorado Disposal
1	46	0	09032022-02	132.60	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09032022-02 Acct. 039078-001 St-19	132.60	El Dorado Irrigation District
1	46	0	09212022-01	266.15	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09212022-01 Acct. 065026-001 St-23	266.15	El Dorado Irrigation District
1	46	0	09212022-02	450.28	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09212022-02 Acct. 033143-001 St-28	450.28	El Dorado Irrigation District
1	46	0	09082022-01	110.42	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09082022-01 Acct. 053692-001 Gold Hill	110.42	El Dorado Irrigation District
1	37	1	0167353-IN	253.83	EDCF09282022	09/28/22	2	8561000	4600	EDCF Inv. 0167353-IN - Badge - Denali	253.83	Entenmann-Rovin Co.
1	11446	1	09202022-01	350.00	EDCF09282022	09/28/22	2	8561000	4617	EDCF Inv. 09202022-01 Class A Uniform Reimburs	350.00	Galbraith, Shane
1	103	0	09302022-01	563.47	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09302022-01 Acct. 060-2920-001 St-72	563.47	Georgetown Divide Public Utility Dist
1	4660	0	4396	1898.00	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09302022-02 Acct. 060-1030-001 St-73	1898.00	Georgetown Divide Public Utility Dist
1	3434	0	CI035578	231.85	EDCF09282022	09/28/22	2	8561000	4300	EDCF Inv. 4396 Legal Services Aug. 2022	231.85	Girard, Edwards, Stevens & Tucker LLP
1	3434	0	CI033757	465.09	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI033757 Cab Bushings	465.09	Golden State Emergency Vehicle Service
1	3434	0	CI034982	565.00	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI034982 E-19	565.00	Golden State Emergency Vehicle Service
1	3434	0	CI035734	178.21	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI035734 OES	178.21	Golden State Emergency Vehicle Service
1	3434	0	CI035736	618.82	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI035736 E-25	618.82	Golden State Emergency Vehicle Service
1	3434	0	CI035419	1162.89	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI035419 E-25	1162.89	Golden State Emergency Vehicle Service
1	3434	0	CI035148	154.09	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI035148 E-17	154.09	Golden State Emergency Vehicle Service
1	3434	0	CI035221	312.70	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI035221 E-28	312.70	Golden State Emergency Vehicle Service
1	3434	0	CI034987	156.90	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI034987 E-19	156.90	Golden State Emergency Vehicle Service
1	3434	0	CI034890	153.49	EDCF09282022	09/28/22	2	8561000	4162	EDCF Inv. CI034890 E-17	153.49	Golden State Emergency Vehicle Service
1	3460	0	32375761	1290.74	EDCF09282022	09/28/22	2	8561000	4420	EDCF Inv. 32375761 Copy Machine Lease	1290.74	GreatAmerica Financial Services Corp
1	1680	0	81749	502.50	EDCF09282022	09/28/22	2	8561000	4300	EDCF Inv. 81749 7515 Green Valley Road	502.50	Interwest Consulting Group Inc.
1	11917	1	1441	2052.24	EDCF09282022	09/28/22	2	8561000	6023	EDCF Inv. 1441 St-17	2052.24	John Kristedja Architect
1	822	1	229355-1	258.94	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 229355-1 St-28	258.94	JS West
1	822	1	738934-1	363.32	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 738934-1 St-17	363.32	JS West
1	822	1	738934-2	15.95	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 738934-2 St-17	15.95	JS West
1	822	1	746098-1	450.02	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 746098-1 St-21	450.02	JS West
1	822	1	746098-2	15.95	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 746098-2 St-21	15.95	JS West
1	2519	0	11965670	53.08	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 11965670 Telestaff Lines	53.08	Kronos
1	2519	0	11957341	705.35	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 11957341 Telestaff Lines	705.35	Kronos
1	2519	0	11953357	44.11	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 11953357 Telestaff Lines	44.11	Kronos
1	514	0	INV629760	330.33	EDCF09282022	09/28/22	2	8561000	4507	EDCF Inv. INV629760 Fire Hose	330.33	L.N. Curtis & Sons, Inc.
1	514	0	INV752625	165.17	EDCF09282022	09/28/22	2	8561000	4507	EDCF Inv. INV752625 Hose	165.17	L.N. Curtis & Sons, Inc.
1	4974	0	10872	45.80	EDCF09282022	09/28/22	2	8561000	4400	EDCF Inv. 10872 Public Notice	45.80	Mountain Democrat
1	4974	0	10873	56.00	EDCF09282022	09/28/22	2	8561000	4400	EDCF Inv. 10873 Public Notice	56.00	Mountain Democrat

Authorizing signatures:

1	4974	0	10842	56.00	EDCF09282022	09/28/22	2	8561000	4400	EDCF Inv. 10842 Public Notice	56.00	Mountain Democrat
1	4974	0	10843	45.50	EDCF09282022	09/28/22	2	8561000	4400	EDCF Inv. 10843 Public Notice	45.50	Mountain Democrat
1	62	0	0915202-01	1279.32	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 0915202-01 Acct. 2463807959-0 St-21	1279.32	Pacific Gas & Electric, Inc.
1	62	0	09152022-02	1476.02	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09152022-02 Acct. 0294455775-6 St-72	1476.02	Pacific Gas & Electric, Inc.
1	62	0	09192022-03	1307.17	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09152022-03 Acct. 9160165239-8 St25	1307.17	Pacific Gas & Electric, Inc.
1	62	0	09192022-02	9.61	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09192022-02 Acct. 5707449531-8 St-19	9.61	Pacific Gas & Electric, Inc.
1	62	0	09192022-03	834.53	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09192022-03 Acct. 4198633477-3 st-17	834.53	Pacific Gas & Electric, Inc.
1	62	0	09192022-04	740.94	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09192022-04 Acct. 75011920141-5 Gold	740.94	Pacific Gas & Electric, Inc.
1	62	0	09222022-01	1946.51	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09222022-01 Acct. 9563044298-6 St-28	1946.51	Pacific Gas & Electric, Inc.
1	62	0	09142022-02	4.74	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09142022-02 Acct. 5057994052-4 St-15	4.74	Pacific Gas & Electric, Inc.
1	62	0	09122022-01	21.12	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09122022-01 Acct. 6720534296-6 St-19	21.12	Pacific Gas & Electric, Inc.
1	62	0	09122022-02	810.93	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09122022-02 Acct. 9361049424-2 St-19	810.93	Pacific Gas & Electric, Inc.
1	62	0	09122022-036	10.51	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09122022-036 Acct. 8642934189-3 St-11	10.51	Pacific Gas & Electric, Inc.
1	62	0	09072022-01	197.91	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09072022-01 Acct. 3752486564-1 St-23	197.91	Pacific Gas & Electric, Inc.
1	62	0	09072022-02	58.06	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09072022-02 Acct. 9575072740-6 St-23	58.06	Pacific Gas & Electric, Inc.
1	62	0	09162022-01	10.05	EDCF09282022	09/28/22	2	8561000	4700	EDCF Inv. 09162022-01 Acct. 1755802518-9 St-28	10.05	Pacific Gas & Electric, Inc.
1	3193	0	117167	30.25	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. 117167 St-25	30.25	Placerville Hardware
1	3193	0	117168	35.52	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. 117168 St-25	35.52	Placerville Hardware
1	3193	0	117163	1.99	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. 117163 St-25	1.99	Placerville Hardware
1	1553	0	A1042024	25.71	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1042024 st-17	25.71	Pollock Pines True Value
1	1553	0	A1042229	31.09	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1042229 St-17	31.09	Pollock Pines True Value
1	1553	0	B740831	49.32	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. B740831 St-17	49.32	Pollock Pines True Value
1	1553	0	A1042496	45.01	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1042496 St-17	45.01	Pollock Pines True Value
1	1553	0	A1042504	84.66	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1042504 St-17	84.66	Pollock Pines True Value
1	1553	0	A1043862	16.06	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1043862 St-17	16.06	Pollock Pines True Value
1	1553	0	A1044315	81.39	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1044315 St-17	81.39	Pollock Pines True Value
1	1553	0	A1044598	15.00	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1044598 St-17	15.00	Pollock Pines True Value
1	1553	0	A1044662	52.31	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1044662 St-17	52.31	Pollock Pines True Value
1	1553	0	A1044705	18.36	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1044705 St-17	18.36	Pollock Pines True Value
1	1553	0	A1045429	15.21	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1045429 St-17	15.21	Pollock Pines True Value
1	1553	0	A1045472	26.04	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1045472 St-17	26.04	Pollock Pines True Value
1	1553	0	A1046168	15	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1046168 St-17	15	Pollock Pines True Value
1	1553	0	A1046434	31.09	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1046434 St-17	31.09	Pollock Pines True Value
1	1553	0	B741026	11.97	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. B741026 St-17	11.97	Pollock Pines True Value
1	1553	0	B741060SI-17	49.1	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. B741060SI-17	49.1	Pollock Pines True Value
1	1553	0	A1047484	4.06	EDCF09282022	09/28/22	2	8561000	4197	EDCF Inv. A1047484 St-17	4.06	Pollock Pines True Value
1	2317	0	0176188-IN	52	EDCF09282022	09/28/22	2	8561000	4324	EDCF Inv. 0176188-IN	52	Preferred Alliance, Inc.
1	922	0	3777224-0	77.4	EDCF09282022	09/28/22	2	8561000	4260	EDCF Inv. 3777224-0 Office Supplies	77.4	Sierra Office Supply & Printing
1	1778	0	SD3552	765.23	EDCF09282022	09/28/22	2	8561000	6020	EDCF Inv. SD3552 St-28	765.23	Ski Air
1	9786	0	09142022-03	290.75	EDCF09282022	09/28/22	2	8561000	4100	EDCF Inv. 09142022-03 Life	290.75	Texas Life Insurance Company
1	11994	1	09302022-03	350	EDCF09282022	09/28/22	2	8561001	4020	EDCF Inv. 09302022-03 Duty Boot Reimbursement	350	Thompson, Tayler
1	434	0	9915951502	51.24	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 9915951502 iPad Data	51.24	Verizon Wireless
1	434	0	9915951500	924.48	EDCF09282022	09/28/22	2	8561000	4040	EDCF Inv. 9915951500 Cell Service 8/16-9/15	924.48	Verizon Wireless

**EL DORADO COUNTY
AUDITOR-CONTROLLER
ELECTRONIC FUNDS TRANSFER
MEMORANDUM**

TO: K.E. Coleman, Treasurer/Tax Collector

FROM: Department/District: El Dorado County Fire District

Authorized Signature: _____

Joe Harn, Auditor-Controller

Authorized Signature: _____

DATE:

RE: **AUTHORIZATION TO ELECTRONICALLY TRANSFER FUNDS**

This is my official warrant to pay via electronic transfer on 9/26/2022, as described below:

METHOD OF TRANSFER: **ACH** **WIRE TRANSFER**

AMOUNT: \$119,905.61

BANK NAME: Union Bank

BANK BRANCH: 400 California Street

San Francisco, CA 94104

ABA NUMBER/ROUTING NUMBER: 1220200496

BANK ACCOUNT NUMBER: 0050206971

BANK ACCOUNT/PAYEE NAME: CalPERS Fiscal Services Division

PAYEE INVOICE NUMBER (if any): 100000016938648

FENIX DOCUMENT NUMBER: _____

I hereby certify that the above ACH/Wire transfer instructions and account information has been confirmed by me.

Kathleen Freeman
Print name of employee responsible
for accuracy of wire instructions

9/19/22
Date

[Signature]
Signature

Treasury Use Only

PAYMENT # _____ DATE _____ TIME _____ INITIAL _____

APPROVED _____ RELEASED _____ TIME _____ INITIAL _____

ACH/WIRE TRANSFER REQUEST

PREPARED BY: Kathleen Freeman
 SIGNATURE AND DATE: *Kathleen Freeman* 9/19/22
 PRINT NAME: Kathleen Freeman
 REQUIRED

DEPARTMENT NAME: El Dorado County Fire District
 DEPARTMENT NUMBER: 8561
 (4 DIGIT NUMBER)

Tim Cordeiro
 PRINT AUTHORIZED NAME
 AUTHORIZED SIGNATURE

DEPARTMENT AUTHORIZATION: I HERBY CERTIFY THAT THE DETAILS OF THIS REQUESTED WIRE DISBURSEMENT ALONG WITH THE ATTACHED SUPPORTING DOCUMENTS ARE: WITHIN MY AUTHORITY TO APPROVE; WERE NECESSARY TO CONDUCT COUNTY BUSINESS; ARE ITEMS RECEIVED OR FOR A SERVICE THAT HAS OR WILL BE DELIVERED AS OBLIGATED BY VENDOR; AND THAT NO PRIOR DISBURSEMENT HAS BEEN MADE FOR SAID

VENDOR NAME: CalPERS Fiscal Services Division
 FENIX VENDOR NUMBER: 225
 SUFFIX: 2
 INVOICE NUMBER (20 CHARACTERS): 100000016938648
 AMOUNT: \$119,905.61

ACH AUTO WITHDRAWL
 ACH TRANSFER (ABA/ACCT# REQ)
 WIRE TRANSFER (REQUIRES JUSTIFICATION)

REQUESTED TRANSFER DATE: 09/26/22
 CONFIRMED 48 HRS NOTICE TO TREASURY

INITIAL

****WIRE TRANSFER JUSTIFICATION: District/JPA Health Premiums October 2022**

ORG CODE	OBJECT	PROJECT STRING	DESCRIPTION (30 CHARACTERS MAX)	AMOUNT
8561000	3040		Dist. Health October 2022	\$89,877.30
8561001	3040		JPA Health October 2022	\$30,028.31
TOTAL				\$119,905.61

AUDITOR'S USE ONLY

BATCH #: 99120
 CASH ACCT:
 DOC #:
 CK/WIRE #:
 ACTION DATE:

HEADER DESCRIPTION:

ENTERED BY:
 DATE:

REVIEWED BY:

APPROVED BY:

PROCESSING

APP JOURNAL #:
 DATE:

TJ JOURNAL #:
 DATE:

NOTES:



P.O. Box 942715, Sacramento, CA 94229-2715
 888 CalPERS (or 888-225-7377) | Fax: (800) 959-6545
 TTY: (877) 249-7442
 www.calpers.ca.gov

California Public Employees' Retirement System

Tim Cordero
 El Dorado County Fire Protection District
 PO BOX 807
 4040 CARSON ROAD
 CAMINO, CA 95709-0807

Dist # 89 817.30
JPA # 30,020.31
 Business Unit: 1800
 CalPERS ID: 4388508673
 Statement Date: 09/14/2022

Health Premium Statement - PERS

Receivable ID	Description	Billing Month	Amount
100000016938648	Total Active & Retired Premium: \$167,942.72	10/2022	
	PA Billing Active Premium		\$111,007.40
	PA Billing Employer Share of Retired Premium		\$8,344.00
	Admin Fee for Active: (0.33% of Total Active Premium)		\$366.32
	Admin Fee for Retired: (0.33% of Total Retired Premium)		\$187.89
	Subtotal		\$119,905.61
100000016905112	Previous Payment Due	09/2022	\$122,518.29
	Payment Applied		(\$122,518.29)
	Subtotal		\$0.00

Total Payment Due 10/10/2022: \$119,905.61




Retain this Statement for your records.

Health Premium payments are to be paid in full by the 10th of each month. Payments which are not received in full on or before this date will be assessed interest on the next month's statement (California Code of Regulations §599.515) and may be subject to the delinquency process. Please note that this monthly statement is a demand for payment in accordance with the Public Employees' Medical and Hospital Care Act, and failure to timely remit health premium payments in full by the 10th of each month may result in the termination of health care coverage for your agency pursuant to Government Code §22939 and collection of any outstanding amounts, including, but not limited to, all outstanding health premium payments/contributions, interest, penalties, and the costs of collection, including reasonable legal fees, when necessary to collect the amount due.

Please pay this statement using Electronic Funds Transfer (EFT) debit or Automated Clearing House (ACH) credit method. Please visit my.calpers.ca.gov to schedule a debit EFT payment or call our CalPERS Customer Contact Center at **888 CalPERS** (or 888-225-7377) for information regarding EFT ACH credit payments. Please allow two banking days prior to the due date for payments to be received at CalPERS on time.

To view the Monthly Employer Billing Roster, please log on to my.calpers.ca.gov and select the Download Roster option that is located within the Billing and Payment Summary section. If discrepancies are discovered when reconciling the Statement to the Roster or the Roster to your internal records, please contact us. The Health Premium Billing should be reconciled on a monthly basis.

If you have questions, please contact the **CalPERS Customer Contact Center** at **888 CalPERS** (or 888-225-7377).



EL DORADO COUNTY DEPOSIT PERMIT

TREASURER HAS RECEIVED A DEPOSIT FROM
EL DORADO COUNTY FIRE PROTECTION DISTRICT
 DEPARTMENT OR AGENCY NAME (including division)

DATE 9/9/2022
 PREPARED BY Kathleen Freeman
 Phone # 530-644-9630
 DEPOSITOR NUMBER 808561

ENTER COIN AND CURRENCY (auto populates Total Deposit section)

Coin and Currency	\$ 0.01	x	0	\$ -	\$ 1.00	x	0	\$ -
	\$ 0.05	x	0	\$ -	\$ 5.00	x	0	\$ -
	\$ 0.10	x	0	\$ -	\$ 10.00	x	0	\$ -
	\$ 0.25	x	0	\$ -	\$ 20.00	x	0	\$ -
	\$ 0.50	x	0	\$ -	\$ 50.00	x	0	\$ -
					\$ 100.00	x	0	\$ -

Total Deposit Section	
COIN	0.00
CURRENCY	1,103.00
CHECKS	3,322.00
OFF - SITE	0.00
DIRECT	0.00
9/9/2022	

Total Coin: \$ - Total Currency: \$ -

Enter Total Checks: Enter Total Offsites: \$ -

Enter Total Direct Deposit/Wire: \$ -

TOTAL DEPOSIT	4,425.00
----------------------	-----------------

GENERAL LEDGER ACCOUNT LINES (type apostrophe first if there are leading zero):

S F X	ORG	OBJECT NUMBER	PROJECT STRING	DESCRIPTION (30 CHARACTERS MAX.)	AMOUNT
1	8561000	1401	223	CR#765 CK#10035 3170 Gold Nugget Way	372.00
2	8561000	4022	291	CR#766 Cash Duty Attire	40.00
3	8561000	4022	291	CR#767 Cash PT Shorts	15.00
4	8561000	1401	223	CR#768 CK#1084 5670 Thompson Hill Road	186.00
5	8561000	1401	223	CR#769 CK#105 4921 Rattlesnake Bar	186.00
6	8561000	1401	223	CR#770 CK#10317 4550 Business Drive	678.00
7	8561000	4022	291	CR#771 Cash Duty Hat	20.00
8	8561000	1401	223	CR#772 CK#3002 3651 Meder Road	186.00
9	8561000	4022	291	CR#773 Cash Duty Hat	20.00
10	8561000	1401	223	CR#774 CK#1256 Incident Report	40.00
11	8561000	1401	223	CR#775 CK#501 3475 Ramada Way	186.00
12	8561000	1401	223	CR#776 CK#191 4200 Pine Ridge Court	186.00
13	8561000	1401	223	CR#777 Cash 4121 Vega Loop	200.00
14	8561000	1401	223	CR#778 CK#226 1930 Hwy 193	186.00
15	8561000	1401	223	CR#779 Cash 354 Raben Way	200.00
16	8561000	1401	223	CR#780 Cash 3510 Pleasant Road	200.00

JOE HARN, C.P.A. AUDITOR / CONTROLLER

C.L. RAFFETY, TREASURER / TAX COLLECTOR

BY [Signature]
 DATE 9/15/22

BY [Signature]
 DATE 9/15/22

JP # 289665

CERTIFIED INTO THE
 COUNTY TREASURY
 UNDER SECTION GOVT
 CODE 27008

JE NUMBER	2019-__-__
INPUT BY	

DISTRIBUTION: WHITE - AUDITOR / GREEN - TREASURY / YELLOW - DEPARTMENT RECEIPT

Updated 1/1/18

EL DORADO COUNTY

DEPOSIT PERMIT

PAGE 2 OF 2

TREASURER HAS RECEIVED A DEPOSIT FROM
EL DORADO COUNTY FIRE PROTECTION DISTRICT
 DEPARTMENT OR AGENCY NAME (Including Division)

DATE September 9, 2022

PREPARED BY _____
 PHONE NUMBER: 808561
 DEPOSITOR NUMBER _____

GENERAL LEDGER ACCOUNT LINES (type apostrophe first if there are leading zero):

S F X	ORG	OBJECT NUMBER	PROJECT STRING	DESCRIPTION (50 CHARACTERS MAX.)	AMOUNT
17	8561000	1401	223	CR#781 CK#1222 4080 Naturewood	186.00
18	8561000	4022	291	CR#782 Cash Duty Hat	16.00
19	8561000	4022	291	CR#783 Cash Duty Hat	20.00
20	8561000	4022	291	CR#784 Cash Duty Hat	20.00
21	8561000	1401	223	CR#785 CK#5121 4601 Brookside	186.00
22	8561000	4022	291	CR#786 Cash Duty Hat	20.00
23	8561000	4022	291	CR#787 Cash Duty Shirts	47.00
24	8561000	1401	223	CR#788 CK#7985 2052 Indian Rock	186.00
25	8561000	1401	223	CR#789 Cash 3311 Cascade Trail	200.00
26	8561000	1401	223	CR#790 CK#1028 2103 Cable Road	186.00
27	8561000	4022	291	CR#791 Cash Duty Hat	20.00
28	8561000	4022	291	CR#792 Cash Duty Attire	15.00
29	8561000	1401	223	CR#793 CK#1409 4920 Cameron Road	186.00
30	8561000	1401	223	CR#794 CK#6916 La Caille Estates	186.00
31	8561000	4022	291	CR#795 Cash Duty Attire	50.00
32					
33					
34					
35					
36					
37					
38					

JOE HARN, C.P.A. AUDITOR / CONTROLLER

C.L. RAFFETY, TREASURER / TAX COLLECTOR

BY JF
 DATE 9/15/22

BY RT
 DATE 9/15/22

DP # 28714665

CERTIFIED INTO THE
 COUNTY TREASURY
 SECTION GOVT CODE

BATCH DATE	
CODED BY	

EL DORADO COUNTY DEPOSIT PERMIT

TREASURER HAS RECEIVED A DEPOSIT FROM
EL DORADO COUNTY FIRE PROTECTION DISTRICT
 DEPARTMENT OR AGENCY NAME (including division)

DATE 9/13/2022
 PREPARED BY Kathleen Freeman
 Phone # 530-644-9630
 DEPOSITOR NUMBER 808561

ENTER COIN AND CURRENCY (auto populates Total Deposit section)

Coin and Currency	\$ 0.01	x	0	\$ -	\$ 1.00	x	0	\$ -
	\$ 0.05	x	0	\$ -	\$ 5.00	x	0	\$ -
	\$ 0.10	x	0	\$ -	\$ 10.00	x	0	\$ -
	\$ 0.25	x	0	\$ -	\$ 20.00	x	0	\$ -
	\$ 0.50	x	0	\$ -	\$ 50.00	x	0	\$ -
					\$ 100.00	x	0	\$ -

Total Deposit Section	
COIN	0.00
CURRENCY	336.00
CHECKS	<u>2911</u> 3,097.00
OFF - SITE	0.00
DIRECT	0.00
9/13/2022	

Total Coin: \$ - Total Currency: \$ -

Enter Total Checks: Enter Total Offsites: \$ -

Enter Total Direct Deposit/Wire: \$ -

TOTAL DEPOSIT	<u>3,433.00</u> <u>3247-</u>
----------------------	---------------------------------

GENERAL LEDGER ACCOUNT LINES (type apostrophe first if there are leading zero):

S F X	ORG	OBJECT NUMBER	PROJECT STRING	DESCRIPTION (30 CHARACTERS MAX.)	AMOUNT
1	8561000	4022	291	CR#796 Cash Duty Hat	20.00
2	8561000	1401	223	CR#797 CK#1075 148 Margret Drive	186.00
3	8561000	4022	291	CR#798 Cash Duty Hat	20.00
4	8561000	4022	291	CR#799 Cash Duty Attire	60.00
5	8561000	4022	291	CR#800 Cash Duty Hat	16.00
6	8561000	1401	223	CR#801 CK#2279 1601 Shadow Hawk	186.00
7	8561000	1401	223	CR#802 CK#2278 3805 Carson Road	186.00
8	8561000	1401	223	CR#803 CK#9742 6051 Cozy Dell Lane	186.00
9	8561000	1401	223	CR#804 CK#1026 2820 Silver Tip Lane	186.00
10	8561000	1401	223	CR#805 CK#1296 920 Pacific St	586.00
11	8561000	1401	223	CR#806 Cash 912 Lowell Lane	200.00
12	8561000	1401	223	CR#807 CK#1136 Dos Vistas Drive	186.00
13	8561000	4022	291	CR#808 Cash Duty Hat	20.00
14	8561000	1401	223	CR#809 CK#60553 3310 Harris Road	186.00
15	8561000	1401	223	CR#810 CK#1125 4875 Mountain View	186.00
16	8561000	1401	223	CR#811 CK#6894 212 Armory Drive	186.00

JOE HARN, C.P.A. AUDITOR / CONTROLLER

C.L. RAFFETY, TREASURER / TAX COLLECTOR

BY [Signature]
 DATE 9-15-22

BY [Signature]
 DATE 9/13/22

IP # 2096001

CERTIFIED INTO THE COUNTY TREASURY
 UNDER SECTION GOVT CODE 27008

JE NUMBER	2019-__-__
INPUT BY	

DISTRIBUTION: WHITE - AUDITOR / GREEN - TREASURY / YELLOW - DEPARTMENT RECEIPT

Updated 11/1/18

39601

EL DORADO COUNTY

DEPOSIT PERMIT

PAGE 2 OF 2

TREASURER HAS RECEIVED A DEPOSIT FROM
EL DORADO COUNTY FIRE PROTECTION DISTRICT
 DEPARTMENT OR AGENCY NAME (Including Division)

DATE September 13, 2022

PREPARED BY _____
 PHONE NUMBER: 808561
 DEPOSITOR NUMBER _____

GENERAL LEDGER ACCOUNT LINES (type apostrophe first if there are leading zero):

S F X	ORG	OBJECT NUMBER	PROJECT STRING	DESCRIPTION (50 CHARACTERS MAX.)	AMOUNT
17	8561000	1401	223	CR#812 CK#6114 La Caille Estates	186.00
18	8561000	1401	223	CR#813 ICK#1228 4080 Naturewood	93.00
19	8561000	1401	223	CR#814 CK#2019 4341 Lake Ridge Drive	186.00
20	8561000	1401	223	CR#815 CK#2118 2600 Barkley Road	186.00
21	8561000	1401	223	CR#816 CK#12389 2849 Ray Lawyer Drive	186.00
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					

JOE HARN, C.P.A. AUDITOR / CONTROLLER

C.L. RAFFETY, TREASURER / TAX COLLECTOR

BY _____
 DATE 9/15/22

BY RT
 DATE 9/25/22

IP #
289664

CERTIFIED INTO THE COUNTY TREASURY	BATCH DATE
SECTION GOVT CODE	CODED BY

EL DORADO COUNTY DEPOSIT PERMIT

TREASURER HAS RECEIVED A DEPOSIT FROM
EL DORADO COUNTY FIRE PROTECTION DISTRICT
 DEPARTMENT OR AGENCY NAME (including division)

DATE 9/19/2022
 PREPARED BY Kathleen Freeman
 Phone # 530-644-9630
 DEPOSITOR NUMBER 808561

ENTER COIN AND CURRENCY (auto populates Total Deposit section)

Coin and Currency	\$ 0.01	x	0	\$ -	\$ 1.00	x	0	\$ -
	\$ 0.05	x	0	\$ -	\$ 5.00	x	0	\$ -
	\$ 0.10	x	0	\$ -	\$ 10.00	x	0	\$ -
	\$ 0.25	x	0	\$ -	\$ 20.00	x	0	\$ -
	\$ 0.50	x	0	\$ -	\$ 50.00	x	0	\$ -
					\$ 100.00	x	0	\$ -

Total Deposit Section	
COIN	0.00
CURRENCY	0.00
CHECKS	13,175.00
OFF - SITE	0.00
DIRECT	0.00
9/19/2022	

Total Coin: \$ - Total Currency: \$ -

Enter Total Checks: Enter Total Offsites: \$ -

Enter Total Direct Deposit/Wire: \$ -

TOTAL DEPOSIT	13,175.00
----------------------	------------------

GENERAL LEDGER ACCOUNT LINES (type apostrophe first if there are leading zero):

S F X	ORG	OBJECT NUMBER	PROJECT STRING	DESCRIPTION (30 CHARACTERS MAX.)	AMOUNT
1	8561000	4500	124	Paramedic Program Grant - Melton	13,175.00
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
5					
6					

JOE HARN, C.P.A. AUDITOR / CONTROLLER

C.L. RAFFETY, TREASURER / TAX COLLECTOR

BY [Signature]
 DATE 10/11/22

BY [Signature]
 DATE 10/11/22

P # 290316

CERTIFIED INTO THE
 COUNTY TREASURY
 UNDER SECTION GOVT
 CODE 27008

JE NUMBER	2019-__-__
INPUT BY	

DISTRIBUTION: WHITE - AUDITOR / GREEN - TREASURY / YELLOW - DEPARTMENT RECEIPT

Updated 1/1/18

290316

EL DORADO COUNTY DEPOSIT PERMIT

TREASURER HAS RECEIVED A DEPOSIT FROM

EL DORADO COUNTY FIRE PROTECTION DISTRICT

DEPARTMENT OR AGENCY NAME (including division)

DATE 9/21/2022

PREPARED BY Kathleen Freeman

Phone # 530-644-9630

DEPOSITOR NUMBER 808561

ENTER COIN AND CURRENCY (auto populates Total Deposit section)

Coin and Currency	\$ 0.01	x	0	\$ -	\$ 1.00	x	0	\$ -
	\$ 0.05	x	0	\$ -	\$ 5.00	x	0	\$ -
	\$ 0.10	x	0	\$ -	\$ 10.00	x	0	\$ -
	\$ 0.25	x	0	\$ -	\$ 20.00	x	0	\$ -
	\$ 0.50	x	0	\$ -	\$ 50.00	x	0	\$ -
					\$ 100.00	x	0	\$ -

Total Coin: \$ - Total Currency: \$ -

Enter Total Checks: Enter Total Offsites: \$ -

Enter Total Direct Deposit/Wire: \$ -

Total Deposit Section	
COIN	0.00
CURRENCY	0.00
CHECKS	13,435.18
OFF - SITE	0.00
DIRECT	0.00
9/21/2022	

TOTAL DEPOSIT	13,435.18
----------------------	------------------

GENERAL LEDGER ACCOUNT LINES (type apostrophe first if there are leading zero):

S F X	ORG	OBJECT NUMBER	PROJECT STRING	DESCRIPTION (30 CHARACTERS MAX.)	AMOUNT
1	8561000	4022	291	Duty Hat	20.00
2	8561000	1940	226	CalCard Rebate	1,480.35
3	8561000	4617	427	Personnel Training Class Reimbursement	5,974.00
4	8561000	420	415	St-17 Sidewalk Lease	1,000.00
5	8561000	4140	23	Duplicate Payment	20.37
6	8561000	1400	431	Fire Inspection Fee's	932.50
7	8561000	881	220	August Move-up	1,124.36
8	8561000	1947	227	Insurance Refund	484.00
9	8561000	1400	431	Fire Inspection Fee's	2,376.60
10	8561000	4022	291	Duty Attire	23.00
11					
12					
13					
14					
15					
16					

JOE HARN, C.P.A. AUDITOR / CONTROLLER

C.L. RAFFETY, TREASURER / TAX COLLECTOR

BY 90-11-22
DATE

BY RT
DATE 10/11/22

IP # 290317

CERTIFIED INTO THE
COUNTY TREASURY
UNDER SECTION GOVT
CODE 27008

JE NUMBER	2019-__-__
INPUT BY	

DISTRIBUTION: WHITE - AUDITOR / GREEN - TREASURY / YELLOW - DEPARTMENT RECEIPT

Updated 1/1/18

290317



To: Board of Directors
From: Tim Cordero, Fire Chief
Date: October 10, 2022
Subject: Insurance Renewal

The District was informed by our insurance broker, Northern California Fire District Association Administered by ISU Insurance Services – Atwood Agency, that our current policy would not be renewed. Our agent has been looking for alternative insurance coverage, not only for our District, but all districts covered by NCFDA. A renewal proposal has been secured through California Association of Mutual Water Companies, Joint Powers Risk and Insurance Management Authority (JPRIMA).

The new proposal includes several changes from the previous policy such as:

- Significant rate increase to \$169,270.00 and renewal date changed to 4/1 from 11/1
- JPRIMA requires a three-year commitment, early exit allowed if rate increase exceeds 15%
- Terrorism coverage is automatically included
- Earthquake and flood insurance not included

With the change in the renewal date to April 1st, the proposal identifies a pro-rated cost to cover from November 1st thru April 1st, which will be approximately \$70,525. The renewal of \$169,270 would be due on April 1st, bringing the total cost for Fiscal Year 2022/23 to approximately \$239,795.00. Staff reached out to our broker, and they will allow for quarterly or bi-annual payments. The quarterly payment option would bring our 2022/23 costs to approximately \$112,842 and 2023/24 payment of \$169,270.00.

There are also several other changes to coverages and deductibles and representatives from ISU Insurance Services – Atwood Agency will be present at the Board meeting to provide information on these changes.

Staff would recommend the Board approve the insurance quote from JPRIMA as presented by NCFDA ISU Insurance to include quarterly payments at the April 1st renewal. Staff would also recommend the Board authorize the Fire Chief to sign the “Agreement to become party to the amended Joint Powers Agreement creating the California Association of Mutual Water Companies Joint Powers Risk and Insurance Management Authority” and associated application for membership at \$100 per year.



To: Board of Directors
From: Tim Cordero, Fire Chief
Date: August 12, 2022
Subject: Shared Services Agreement with Diamond Springs – El Dorado Fire Department

Staff from El Dorado County Fire (ECF) and Diamond Springs – El Dorado Fire Department (DSP) have working towards a shared service agreement for the past few months. The foundation of the shared service agreement before the Board is consistent with the previous agreement, with some additional clarifications and responsibilities. Over the past months, staff and the Unions have met to discuss the opportunities and challenges that are possible with entering into the agreement.

Both staff and Unions from ECF and DSP support the shared service agreement and are looking forward to additional opportunities to further collaborate, improving our service delivery and workplace enhancements for our firefighters.

The shared service agreement was approved by the Diamond Springs Board of Directors during their October 11, 2022, Board Meeting.

Staff would recommend the Board of Directors approve the Shared Service Agreement between the Diamond Springs – El Dorado Fire Department and El Dorado County Fire Protection District.

Attachments:

Support letter from Local 3556

Support letter from Local 4972





El Dorado County Professional Firefighters Association • Local 3556

P.O. Box 1926 • Placerville, CA 95667

iaff3556.org

October 7, 2022

Tim Cordero, Fire Chief
4040 Carson Rd.
Camino, CA 95709

Chief Cordero,

On behalf of our membership and executive board, I wish to express our support for the Shared Services Agreement between the El Dorado County Fire Protection District and the Diamond Springs – El Dorado Fire Protection District. We would like to revisit the agreement and the impacts to our members after a year. We see a tremendous amount of value in both agencies cooperating in areas where common ground is shared. We look forward to identifying more ways to work synergistically to potentiate both agencies' abilities to serve our communities and meet our missions.

Respectfully,

Jacob Poganski
President



**DIAMOND SPRINGS / EL DORADO PROFESSIONAL
FIREFIGHTERS
LOCAL 4972**

September 28, 2022

Chief Gallagher,

The Diamond Springs Firefighters Union Local 4972 met on September 28th, 2022 and voted unanimously to support the proposed Shared Services agreement between Diamond Springs/El Dorado FPD and El Dorado County FPD. We look forward to this cooperative agreement between the two departments and support moving forward with the process.

Sincerely,

Spencer Morgan
Vice President Local 4972

AGREEMENT FOR SHARED ADMINISTRATIVE SERVICES

This Agreement for Shared Administrative Services (“Agreement”) is made and entered this October 20th, 2022 (the “Effective Date”), by and between the Diamond Springs- El Dorado Fire Protection District (“DSEDFPD”) and the El Dorado County Fire Protection District (“EDCFPD”) (hereinafter collectively referred to as “Parties”, or individually as a “Party”), both of which are public agencies organized and existing under and by virtue of the laws of the State of California.

RECITALS

WHEREAS, DSEDFPD is charged with providing all aspects of fire services delivery within its jurisdictional boundaries, including by way of illustration and not by limitation, fire suppression, emergency medical services, fire prevention, and emergency/disaster management as provided for in the California Health and Safety Code § 13862 and Government Code, § 8550 et seq (“DSEDFPD Duties”).

WHEREAS, EDCFPD is charged with providing all aspects of fire services delivery within its jurisdictional boundaries, including by way of illustration and not by limitation, fire suppression, emergency medical services, fire prevention, and emergency/disaster management as provided for in the California Health and Safety Code § 13862 and Government Code, § 8550 et seq (“EDCFPD Duties”).

WHEREAS, the Parties wish to share administrative services, such that the DSEDFPD will assist EDCFPD in carrying out the EDCFPD Duties as set forth in this Agreement and EDCFPD will assist DSEDFPD in carrying out the DSEDFPD Duties as set forth in this Agreement.

NOW THEREFORE, in consideration of the mutual promises set forth in this Agreement, the PARTIES agree as follows:

I. EFFECTIVE DATE AND TERM

This Agreement shall take effect on the Effective Date set forth above, and the term of this Agreement shall conclude on November 1st, 2023.

II. SHARED SERVICES.

DSEDFPD shall provide EDCFPD with the services identified in Exhibit A-1 (“DSEDFPD Services”), and EDCFPD shall provide DSEDFPD with the services identified in Exhibit A-2 (“EDCFPD Services”) (collectively, the Shared Services”). In providing DSEDFPD Services, DSEDFPD shall comply with all lawful instructions of EDCFPD, and in providing EDCFPD Services, EDCFPD shall comply with all lawful instructions of DSEDFPD.

III. EXCLUDED SERVICES.

All DSEDFPD Duties not described as EDCFPD Services are excluded from this Agreement and shall remain the sole responsibility of DSEDFPD. All EDCFPD Duties

not described as DSEDFPD Services are excluded from this Agreement and shall remain the sole responsibility of EDCFPD.

IV. COMPENSATION.

The consideration supporting this Agreement is DSEDFPD's commitment to provide EDCFPD with the DSEDFPD Services and EDCFPD's commitment to provide DSEDFPD with the EDCFPD Services.

V. INDEPENDENT CONTRACTOR

DSEDFPD, in the performance of this Agreement, is and shall act as an independent contractor. DSEDFPD understands and agrees that DSEDFPD and all of DSEDFPD's employees shall not be considered officers, employees, agents, partner, or joint venture of EDCFPD, and are not entitled to benefits of any kind or nature normally provided employees of EDCFPD and/or to which EDCFPD's employees are normally entitled, including, but not limited to, State Unemployment Compensation or Worker's Compensation. DSEDFPD shall assume full responsibility for payment of all federal, state and local taxes or contributions, including unemployment insurance, social security and income taxes with respect to DSEDFPD's employees.

EDCFPD, in the performance of this Agreement, is and shall act as an independent contractor. EDCFPD understands and agrees that EDCFPD and all of EDCFPD's employees shall not be considered officers, employees, agents, partner, or joint venture of DSEDFPD, and are not entitled to benefits of any kind or nature normally provided employees of DSEDFPD and/or to which DSEDFPD's employees are normally entitled, including, but not limited to, State Unemployment Compensation or Worker's Compensation. EDCFPD shall assume full responsibility for payment of all federal, state and local taxes or contributions, including unemployment insurance, social security and income taxes with respect to EDCFPD's employees.

No Partnership or Joint Venture. Nothing herein contained shall constitute a partnership, joint venture, or other similar relationship between the Parties hereto or constitute any party the agent of the other. No Party shall hold itself out contrary to the terms of this Section. This Agreement is not for the benefit of any third party and shall not be deemed to give any right or remedy to any such party whether referred to herein or not.

VI. INDEMNIFICATION

To the furthest extent permitted by California law, DSEDFPD shall indemnify, defend, and hold free and harmless EDCFPD and EDCFPD's employees, officers, and board members (the "Indemnified Parties") from any actions, assessments, counts, citations, claims, costs, damages, demands, judgments, liabilities (legal, administrative or otherwise), losses, notices, expenses, fines, penalties, proceedings, responsibilities, violations, reasonable attorney's and consultants' fees and causes of action to property or persons, including personal injury and/or death (each, a "Claim") to the extent that the Claim (1) arises out of,

pertains to, or relates to the negligent errors or omissions (active or passive, ordinary or gross), recklessness (ordinary or gross), or willful misconduct of DSEDFPD, its directors, officials, officers, employees, volunteers, contractors, subcontractors, consultants, or subconsultants; or arises out of, pertains to, or relates to the DSEDFPD's breach of this Agreement. EDCFPD may accept or reject legal counsel DSEDFPD proposes to defend the Indemnified Parties with, in its sole and absolute discretion, and may thereafter appoint, legal counsel to defend the Indemnified Parties at DSEDFPD's expense against a Claim.

To the furthest extent permitted by California law, EDCFPD shall indemnify, defend, and hold free and harmless DSEDFPD's and DSEDFPD's employees, officers, and board members (the "Indemnified Parties") from any actions, assessments, counts, citations, claims, costs, damages, demands, judgments, liabilities (legal, administrative or otherwise), losses, notices, expenses, fines, penalties, proceedings, responsibilities, violations, reasonable attorney's and consultants' fees and causes of action to property or persons, including personal injury and/or death (each, a "Claim") to the extent that the Claim (1) arises out of, pertains to, or relates to the negligent errors or omissions (active or passive, ordinary or gross), recklessness (ordinary or gross), or willful misconduct of EDCFPD, its directors, officials, officers, employees, volunteers, contractors, subcontractors, consultants, or subconsultants; or arises out of, pertains to, or relates to the EDCFPD's breach of this Agreement. DSEDFPD may accept or reject legal counsel EDCFPD proposes to defend the Indemnified Parties with, in its sole and absolute discretion, and may thereafter appoint, legal counsel to defend the Indemnified Parties at EDCFPD's expense against a Claim.

VII. COMPLIANCE WITH APPLICABLE STATUTES, ORDINANCES, AND REGULATIONS. As an express covenant of this Agreement, DSEDFPD shall comply with applicable law in performing DSEDFPD Services. As an express covenant of this Agreement, EDCFPD shall comply with applicable law in performing EDCFPD Services.

VIII. INSURANCE. Each Party shall furnish and keep in full force and affect during all times of the Agreement the following insurance:

- A. Workers Compensation Insurance as required under California law, covering all employees exercising duties pursuant to the Agreement, and Employer's Liability coverage with limits of not less than \$1,000,000 per accident or disease.
- B. Comprehensive Liability insurance to include general liability, medical malpractice, automobile liability, and public officials and professional liability for bodily injury, personal injury, property damage, wrongful acts and/or errors and omissions arising out of their respective employees' duties pursuant to this Agreement, including officers, agents, representatives, subcontractors, or volunteers. These policies shall provide coverage per one of the following Options [either Option B(i) or B(ii)], in the following minimum amounts:

Option B(i)

- 1. Commercial General Liability Limits

- a. Limits of not less than \$2,500,000 each occurrence
- b. \$5,000,000 aggregate
- c. Personal Injury
 - 1) Limits of not less than \$2,500,000 each occurrence
 - 2) \$5,000,000 aggregate
- 2. Automobile Liability Limits
 - a. Bodily Injury
 - 1) Limits of not less than \$1,000,000 per person
 - 2) \$2,000,000 per accident
 - 3) Coverage to include owned, non-owned and hired autos
 - b. Property Damage
 - 1) Limits of not less than \$1,000,000 per occurrence
- 3. Public Officials Liability and/or Errors and Omissions
 - a. To include coverage for the wrongful acts, errors and omissions of elected and appointed officials, employees and volunteers.
 - 1). Limits of not less than \$1,000,000 per claim
 - 2). \$2,000,000 aggregate
- 4. Medical Malpractice Coverage
 - a. Limits of not less than \$1,000,000 per claim or occurrence
 - b. \$2,000,000 aggregate.
- 5. Umbrella or Excess Insurance
 - a. Limits not less than \$2,000,000 per claim or occurrence
 - b. Such policy or policies shall include as insured the additional insured PARTY under the underlying policy(ies)
 - c. Coverage shall be at least as broad as specified for underlying coverages, and the full limits of the umbrella or excess coverage shall be available to the additional insured PARTY

Option B(ii)

- 1. Commercial General Liability Limits
 - a. Limits of not less than \$1,000,000 each occurrence
 - b. \$2,000,000 aggregate
 - c. Personal Injury
 - 1) Limits of not less than \$1,000,000 each occurrence
 - 2) \$2,000,000 aggregate
- 2. Automobile Liability Limits
 - a. Bodily Injury
 - 1) Limits of not less than \$500,000 per person
 - 2) \$1,000,000 per accident
 - 3) Coverage to include owned, non-owned and hired autos
 - b. Property Damage
 - 1) Limits of not less than \$100,000 per occurrence
- 3. Public Officials Liability and/or Errors and Omissions
 - a. To include coverage for the wrongful acts, errors and omissions of elected and appointed officials, employees and volunteers.
 - b. Limits of not less than \$1,000,000 per claim

- c. \$2,000,000 aggregate
 - 4. Medical Malpractice Coverage
 - a. Limits of not less than \$1,000,000 per claim or occurrence
 - b. \$2,000,000 aggregate
 - 5. Umbrella or Excess Insurance
 - a. Limits not less than \$9,000,000 per claim or occurrence
 - b. Such policy or policies shall include as insured the additional insured PARTY under the underlying policy(ies)
 - c. Coverage shall be at least as broad as specified for underlying coverages, and the full limits of the umbrella or excess coverage shall be available to the additional insured PARTY
- C. Parties shall submit a certificate evidencing such coverage in a form satisfactory to each Party's Counsel prior to this Agreement being in force.
- D. Each Party acknowledges that the insurance coverage and policy limits set forth in this Agreement constitute the minimum amount of coverage and limits required. The insurance requirements under this Agreement shall be the greater of (1) the full insurance coverage and limits carried by each Party, or (2) the minimum insurance requirements set forth herein. It is agreed that these insurance requirements shall not in any way act to reduce coverage that is broader or that includes higher limits than the minimums required herein, and no representation is made that the minimum insurance requirements of this Agreement are sufficient to cover the respective obligations of each Party.
- E. Each Party shall name the other, its officers, employees, and agents as additional insured on its liability policies; provided that neither Party shall be required to name the other as an additional insured on its professional liability (errors and omissions policy).
- F. Parties shall provide thirty (30) days written notice to the other prior to cancellation or modification of any insurance required by this Agreement. Parties shall furnish a certificate for the period covered by this Agreement. Any insurance written on a claims-made basis is subject to the approval of each Party's Board of Directors. Insurance coverage in the minimum amounts set forth herein shall not be construed to relieve each Party of liability in excess of such coverage, nor shall it preclude each Party from taking such other actions as are available to it under any other provisions of this Agreement or law. Any deductibles or self-insured retentions must be declared on the certificate of insurance and approved by each Party in writing.

IX. STANDARD OF CARE. In performing DSEDFPD Services, DSEDFPD shall exercise reasonable care consistent with generally and currently accepted principles and practices of his/her profession for services to fire protection districts, and in performing EDCFPD Services, EDCFPD shall exercise reasonable care consistent with generally and currently

accepted principles and practices of his/her profession for services to fire protection districts.

X. NOTICES. Any required notice may be given either by personal service or by deposit (postage prepaid) in the U.S. Mail addressed as follows:

A. Diamond Springs-El Dorado Protection District
501 Pleasant Valley Road
Diamond Springs, CA 95619
Attn: Fire Chief

B. El Dorado County Fire Protection District
4040 Carson Road
Camino, CA 95709
Attn: Fire Chief

XI. ENTIRE AGREEMENT; AMENDMENT. Parties agree that this Agreement constitutes the sole and only Agreement between them representing administrative services and correctly sets forth their obligations and duties with respect to each other. This Agreement may only be amended by a writing signed by both Parties.

XII. WAIVER. No provision of this Agreement shall be considered waived by either Party unless such waiver is set forth in writing.

XIII. SEVERABILITY. Should any provision of this Agreement be held by a court of competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions shall continue in full force and effect, unless to do so would frustrate the intent and purpose of this Agreement.

XIV. COUNTERPARTS. This Agreement may be executed in identical counterparts, each of which shall constitute a duplicate original. Each Party shall provide a true and correct copy of this Agreement to the other Party.

XV. EXECUTION. By executing this Agreement, DSEDFPD and EDCFPD acknowledge that they have carefully read and agree to be bound by all the terms and conditions contained in the Agreement.

XVI. FORCE MAJEURE. No Party shall be liable to any other Party for any loss or damage of any kind or for any default or delay in the performance of its obligations under this Agreement (except for payment obligations) if and to the extent that the same is caused, directly or indirectly, by fire, flood, earthquake, elements of nature, epidemics, pandemics, quarantines, acts of God, acts of war, terrorism, civil unrest or political, religious, civil or economic strife, or any other cause beyond a Party's reasonable control.


XVII. VENUE/GOVERNING LAWS. This Agreement shall be governed by the laws of the

State of California and venue shall be in the County and/or federal judicial district in which District's principal administrative office is located.

IN WITNESS HEREOF, the Parties have executed this Agreement in the County of El Dorado, State of California as of the Effective Date first set forth above.

Diamond Springs-El Dorado Fire Protection District

El Dorado County Fire Protection District

By: 
Matt Gallagher
Fire Chief

By: _____
Tim Cordero
Fire Chief

ATTEST:

ATTEST:

By: 
~~Pete Moffett~~ George Cooper
DSEDFPD Board Director

By: _____
Chris Swarbrick
EDCFPD Board Chairman

**EXHIBIT A-1
DESCRIPTION OF SERVICES**

DSEDFPD SERVICES

The following (3) items below will allow for enhanced efficiencies by sharing available personnel and resources.

- **Community Risk Reduction/Prevention:**
(Included but not limited to)
 1. Code Enforcement
 2. Plan Review
 3. Fire Investigations
 4. Public Education

- **Duty Officer coverage for emergency scene management:**
(Included but not limited to)
 1. Provides a second Chief on significant and second/additional incidents.
 2. Allows for additional overhead staff when needed on incidents i.e., Safety Officer, operations Chief, etc.
 3. DSEDFPD Chief Officer(s) will be available for response as Primary Coverage during business hours.
 4. DSEDFPD Chief Officer(s) will provide “7709” / backup Chief Officer response on assigned shift(s).
 5. Chief Officer coverage coordinated with EDCFPD Chief Officer(s)

- **Training:**
(Included but not limited to)
 1. Standardized continuity for training between agencies.
 2. Maintaining Federal, State, and Local requirements for training standards through multi-company and engine company trainings.
 3. Standardized training to meet all firefighter safety aspects.
 4. Enhancing specialized training between agencies on special operations and other recognized disciplines that are identified as needed.
 5. Training requirements and compliance of DSEDFPD staff shall be the responsibility of DSEDFPD.

EXHIBIT A-2
DESCRIPTION OF SERVICES

EDCFPD SERVICES

The following (3) items below will allow for enhanced efficiencies by sharing available personnel and resources.

- Community Risk Reduction/Prevention:
(Included but not limited to)
 1. Code Enforcement
 2. Plan Review
 3. Fire Investigations
 4. Public Education

- Duty Officer coverage for emergency scene management:
(Included but not limited to)
 1. Provides a second Chief on significant and second/additional incidents.
 2. Allows for additional overhead staff when needed on incidents i.e., Safety Officer, operations Chief, etc.
 3. EDCFPD Duty Chief will provide primary response to emergencies within DSEDFPD on their assigned shifts, after business hours, on weekends and holidays.
 4. EDCFPD Chief Officer(s), in coordination with DSEDFPD Chief Officer(s) will provide “7709” / backup Chief Officer response on assigned shift(s).

- Training:
(Included but not limited to)
 1. Standardized continuity for training between agencies.
 2. Maintaining Federal, State, and Local requirements for training standards through multi-company and engine company trainings.
 3. Standardized training to meet all firefighter safety aspects.
 4. Enhancing specialized training between agencies on special operations and other recognized disciplines that are identified as needed.

5. Training Officer will provide EDCFPD module training and training supplements to DSEDFPD. Training requirement compliance shall be the responsibility of DSEDFPD.



To: Board of Directors
From: Tim Cordero, Fire Chief
Date: October 12, 2022
Subject: California Fire Code Ordinance 2022-02 Adoption

On September 30, 2022 the Board of Director reviewed and approved the first reading of Ordinance 2022-02, without any changes to the proposed California Fire Code updates. The second reading has been publicly noticed, as required and is being brought back to the Board for final review and adoption.

The El Dorado County Fire Protection District Fire Prevention Bureau has provided information to the proposed changes, which is included in this staff report.

Staff would recommend the Board of Directors adopt Ordinance 2022-02, adopting the 2022 Edition of the California Fire Code, repealing Ordinance 2019-01.

Attachment:
ECF 2022 CFC Adoption PowerPoint

2022 California Fire Code Adoption



Braden Stirling
Fire Marshal

1

Model Codes

- ❖ International Codes
 - Building Standards Commissions adopts model codes every 3 years.
- ❖ California Codes
 - State of California adopts, amends and publishes State code by July.
- ❖ Local Ordinance
 - Local Fire agencies may amend to include more restrictive requirements.
 - Amendments due climate, topography, and/or geography only.
 - Regional Fire agencies in agreement
 - (El Dorado County, EDHFD, Rescue, Diamond Springs, Pioneer, and Cameron Park)



2

Major Code Changes

- ❖ Added permit and regulations for automobile wrecking yards.
- ❖ Added permit for traffic calming devices.
- ❖ Clarified open burning restrictions.
- ❖ Clarified sprinkler requirements for existing commercial buildings with additions and/or increased fire and life safety risk.
- ❖ Changed residential fire sprinkler alarm device from bell to horn/strobe.



3

Major Code Changes

- ❖ Added commercial fire alarm monitoring company response requirement
- ❖ Clarified commercial fire alarm requirements for existing buildings with additions and/or increased fire and life safety risk.
- ❖ Added liability for cost and/or damages due to negligent or unlawful use of hazardous materials resulting in emergency response.
- ❖ Removed requirement for property owners to lease propane tanks.



4

Major Code Changes

- ❖ Removed requirement for pyrotechnic proprietary information.
- ❖ Reduced required fire flow for new residential developments of up to 4 homes from 1000gpm to 750gpm.



2022 California Fire Code Adoption



Braden Stirling
Fire Marshal

Model Codes

❖ International Codes

- Building Standards Commissions adopts model codes every 3 years.

❖ California Codes

- State of California adopts, amends and publishes State code by July.

❖ Local Ordinance

- Local Fire agencies may amend to include more restrictive requirements.
- Amendments due climate, topography, and/or geography only.
- Regional Fire agencies in agreement
 - (El Dorado County, EDHFD, Rescue, Diamond Springs, Pioneer, and Cameron Park)



Major Code Changes

- ❖ Added permit and regulations for automobile wrecking yards.
- ❖ Added permit for traffic calming devices.
- ❖ Clarified open burning restrictions.
- ❖ Clarified sprinkler requirements for existing commercial buildings with additions and/or increased fire and life safety risk.
- ❖ Changed residential fire sprinkler alarm device from bell to horn/strobe.



Major Code Changes

- ❖ Added commercial fire alarm monitoring company response requirement
- ❖ Clarified commercial fire alarm requirements for existing buildings with additions and/or increased fire and life safety risk.
- ❖ Added liability for cost and/or damages due to negligent or unlawful use of hazardous materials resulting in emergency response.
- ❖ Removed requirement for property owners to lease propane tanks.



Major Code Changes

- ❖ Removed requirement for pyrotechnic proprietary information.
- ❖ Reduced required fire flow for new residential developments of up to 4 homes from 1000gpm to 750gpm.



EL DORADO COUNTY FIRE PROTECTION DISTRICT

ORDINANCE NO. 2022-02

BE IT ORDAINED BY THE BOARD OF DIRECTORS OF THE EL DORADO COUNTY FIRE PROTECTION DISTRICT AS FOLLOWS:

An ordinance of the El Dorado County Fire Protection District (ECFPD) adopting the 2022 Edition of the *California Fire Code*, incorporating the 2021 Edition of the *International Fire Code*, regulating and governing the safeguarding of life and property from fire and explosion hazards arising from the storage, handling and use of hazardous substances, materials and devices, and from conditions hazardous to life or property in the occupancy of buildings and premises in the ECFPD; providing for the issuance of permits and collection of fees therefor; Repealing Ordinance No. 2019-01 of the ECFPD and all other ordinances and parts of the ordinances in conflict therewith.

Be it ORDAINED by the Board of Directors of the ECFPD, also known as the El Dorado County Fire Protection District:

Section 1: **FINDINGS OF FACTS**

Section 2: **ADOPTION OF CODE WITH EXCLUSIONS**

Section 3: **LOCAL AMENDMENTS**

Section 4: **CONFLICT**

Section 5: **SEVERABILITY**

Section 6: **EFFECTIVE DATE AND PUBLICATION**

SECTION 1: FINDINGS OF FACTS

The ECFPD makes certain changes (listed below) to the *California Fire Code*, 2022 Edition, pursuant to *Health & Safety Code Sections 13869.7, 17958.5, 17958.7 and 18941.5* during this code adoption process. Such changes are necessary because of local climatic, geological and/or topographical conditions. The ECFPD has adopted, pursuant to *Section 18941.5* of the *California Health & Safety Code*, the findings of facts relative to these conditions by Resolution #2019-10 of the ECFPD dated September 19, 2019.

SECTION 2: ADOPTION OF CODE WITH EXCLUSIONS

The ECFPD adopts the 2022 *California Fire Code, Title 24, Part 9, in its entirety*, including Appendices, incorporating those sections of the *International Fire Code*, 2021 edition not adopted by the state, with the exclusions listed below:

Exclusions: 103, 309, 311.5, 311.6, 318, 403.3, 403.5, 403.8, 403.10, 403.11, 404, 406, 903.3.1.2, 904.1.1, 1103.1, 1103.3-1103.4, 1103.6, 1105, Chapter 26, D104.2 (Exception only), D106.1 (Exception only), D107.1 (Exceptions only), Appendix A, Appendix G, Appendix J, Appendix K, Appendix L, Appendix M, Appendix N, Appendix O.

Appendices not adopted can be used for reference in enforcing other sections of the 2022 *California Fire Code*.

SECTION 3: AMENDMENTS TO THE 2022 CALIFORNIA FIRE CODE

The following Sections are hereby amended or added:

Chapter 1

SECTION 101.1 "TITLE" SHALL BE AMENDED AS FOLLOWS:

Section 101.1 TITLE. These regulations shall be known as the Fire Code of *ECFPD*, hereinafter referred to as "this code".

SECTION 105.5 "REQUIRED OPERATIONAL PERMITS" IS AMENDED AS FOLLOWS:

Section 105.5 Required operational permits. The fire code official is authorized to issue operational permits for the operations set forth in Sections 105.5.2 through 105.5.525.

SECTION 105.5.55 "AUTOMOBILE WRECKING YARDS" IS ADDED AS FOLLOWS:

Section 105.5.55 Automobile wrecking yards. *An operational permit is required for the operation of automobile wrecking yards.*

SECTION 105.6 "REQUIRED CONSTRUCTION PERMITS" IS AMENDED AS FOLLOWS:

Section 105.6 required construction permits. The fire code official is authorized to issue construction permits for work as set forth in sections 105.6.1 through 105.6.246.

SECTION 105.6.25 "AUTOMOBILE WRECKING YARDS" IS ADDED AS FOLLOWS:

Section 105.6.25 Automobile wrecking yards. *Construction permits are required for the installation of or modification to automobile wrecking yards.*

SECTION 105.6.26 "TRAFFIC CALMING DEVICES" IS ADDED AS FOLLOWS:

105.6.26 Traffic calming devices. *Construction permits are required for the installation or modification of traffic calming devices.*

SECTION 107.5 "PERMIT, PLAN REVIEW AND INSPECTION FEES" SHALL BE ADDED AS FOLLOWS:

Section 107.5 Permit. *A schedule of fees adopted by the district board of directors for plan review, inspections and the issuance of permits by the district may be found in the most current district fee schedule (Health & Safety Code 17951).*

SECTION 107.5.1 "COST RECOVERY FEES" SHALL BE ADDED AS FOLLOWS:

Section 107.5.1 Cost Recovery Fees. *Fire service fees may be charged to any person, firm, corporation or business that through negligence, violation of the law, or as a result of carelessness, is responsible for the cause of the district to respond to the scene of an incident. A district board may charge a fee to cover the cost of any service which the district provides or the cost of enforcing any regulation for which the fee is charged (Health & Safety Code 13916). The fee shall not exceed the actual cost of suppressing the fire and/or responding to the scene of an incident.*

SECTION 107.7 "ADMINISTRATIVE COSTS" SHALL BE ADDED AS FOLLOWS:

Section 107.7 Administrative Costs. *When a test or inspection is scheduled, and the contractor fails to perform to the satisfaction of the authority having jurisdiction (AHJ), the AHJ may bill the contractor for actual time spent traveling to and from the test/inspection location and the time spent at the test/inspection site as well as administrative costs.*

SECTION 111.5 "APPEAL PROCEDURES AND TIMELINES" SHALL BE ADDED AS FOLLOWS:

Section 111.5 Appeal Procedures and Timelines. *Any person or entity who believes they may be adversely affected by an order, decision, or determination made by the fire code official through a written notice may appeal this matter within 15 calendar days of the postmark on the notice. All such appeals shall be filed in writing with the Secretary of the Governing Board for the district. A timely appeal shall stay further action by the fire code official until the matter is determined by the Appeal Board as outlined in Section 109.2, unless the issue poses an imminent fire or life safety hazard to members of the public. The fire code official shall notify the appellant by certified mail of the date and time of such hearing. The hearing shall be scheduled to take place no sooner than 20 calendar days from the date shown on the certified mail. The appellant shall have the right to appear in person or by agent at the hearing and present oral, written and/or photographic evidence to the Appeal Board.*

SECTION 112.4 "VIOLATION PENALTIES" SHALL BE AMENDED AS FOLLOWS:

Section 112.4 Violation Penalties. *Persons who shall violate a provision of this code or shall fail to comply with any of the requirements thereof or who shall erect, install, alter, repair or do work in violation of the approved construction documents or directive of the fire code official, or of a permit or certificate used under provisions of this code, shall be guilty of a *misdemeanor**

or infraction, at the discretion of the prosecuting attorney or agency, punishable by a fine not more than \$100.00 for a first violation; A fine not exceeding \$500.00 for a second violation of the same provision within one year; A fine not exceeding \$1000.00 for each additional violation of the same provision within one year, or by imprisonment not exceeding 180 days, or both such fine and imprisonment. Each day that a violation continues after due notice has been served shall be deemed a separate offense. (Health & Safety Code Sections 13145 and 17995).

SECTION 112.4.2 "CITATIONS" SHALL BE ADDED AS FOLLOWS:

Section 112.4.2 Citations. *The Fire Chief, or his/her duly authorized representative, may issue citations for infractions or misdemeanor violations of this code pursuant to Section 13871 of the Health & Safety Code of the State of California and Chapter 5c (commencing with Section 853.6) of Title 3 of Part 2 of the Penal Code of the State of California.*

SECTION 113.4 "FAILURE TO COMPLY" SHALL BE AMENDED AS FOLLOWS:

Section 113.4 Failure to Comply. Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be *punishable by a fine or imprisonment or both as described in Section 112.4 (Health & Safety Code Sections 13145 and 17995).*

Chapter 2

SECTION 202 "CAMPFIRE" SHALL BE ADDED AS FOLLOWS:

CAMPFIRE. *A fire which is used for cooking, personal warmth, lighting, or aesthetic purposes.*

SECTION 202 "DISTRICT" SHALL BE ADDED AS FOLLOWS:

DISTRICT. *The district and all other areas within the exterior boundaries thereof now or hereafter established.*

SECTION 202 "DRIVEWAY" SHALL BE ADDED AS FOLLOWS:

DRIVEWAY. *A vehicular access that serves up to two (2) parcels with no more than two (2) residential units and any number of non-commercial or industrial buildings on each parcel.*

SECTION 202 "EXECUTIVE BODY" SHALL BE ADDED AS FOLLOWS:

EXECUTIVE BODY. *The Board of Directors of the District.*

SECTION 202 "FIRE CHIEF" SHALL BE ADDED AS FOLLOWS:

FIRE CHIEF. *The Chief Executive Fire Officer of the Fire department/district serving the jurisdiction or a duly authorized representative.*

SECTION 202 "FIRE HAZARD" SHALL BE ADDED AS FOLLOWS:

FIRE HAZARD. Any condition, arrangement, or act which will increase, or may cause an increase of, the hazard or menace of fire to a greater than customarily recognized as normal by persons in the public service of preventing, suppressing or extinguishing fire; or which may obstruct, delay, or hinder, or may become the cause of obstruction, delay or hinderance to the prevention, suppression, or extinguishment of fire.

SECTION 202 "OPEN BURNING" SHALL BE AMENDED AS FOLLOWS:

OPEN BURNING. The burning of materials wherein products of combustion are emitted directly into the ambient air without passing through a stack or chimney from an enclosed chamber. Open burning does not include road flares, smudge-pots and similar devices associated with safety or occupational uses typically considered open flames. For the purpose of this definition, a chamber shall be regarded as enclosed when, during the time combustion occurs, only apertures, ducts, stacks, flues or chimneys necessary to provide combustion air and permit the escape of exhaust gas are open.

Open burning shall also include campfires, bonfires, portable outdoor fireplaces, ceremonial fires, and recreational fire as defined in the Fire Code.

Exception:

1. *UL or ASMI listed LPG or natural gas outdoor flame devices, such as gas BBQ's or gas fire pits that comply with the Fire Code.*
2. *For one-or two-family dwellings, fixed or portable outdoor flame devices that meet the following:*
 - a. *Devices shall comply with the Fire Code.*
 - b. *Devices shall be used per manufacturer's specifications.*
 - c. *Minimum 10-foot clearance from device to all flammable material and vegetation.*
 - d. *No burning shall be conducted during high or extreme fire weather conditions (e.g., National Weather Service Red Flag Warnings).*
3. *Campfires on private lands. Where required by the fire code official, a permit shall be issued by the fire code official.*
4. *Ceremonial and/or religious burning with the following safety measures:*
 - a. *Maximum 4-foot x 4-foot burn area.*
 - b. *Minimum 10-foot clearance from edge of burn area to all flammable material and vegetation.*
 - c. *An approved water supply is located within 500-feet of the burn area.*
 - d. *The burn area is located no less than 30-feet from adjoining property lines.*
 - e. *An adult is present with a shovel until the fire is extinguished.*
 - f. *No burning shall be conducted during high or extreme fire weather conditions (e.g., National Weather Service Red Flag Warnings).*

SECTION 202 "TRAINED CROWD MANAGER" SHALL BE ADDED AS FOLLOWS:

TRAINED CROWD MANAGER. Standby personnel, usually a security guard or usher personnel, who are trained in the proper procedure to exit people from a tent or other place of public assemblage in an orderly and calm fashion in the event of an emergency

Chapter 3

SECTION 302.1 “DEFINITIONS” SHALL BE AMENDED AS FOLLOWS:

3D PRINTER.

ADDITIVE MANUFACTURING.

BONFIRE.

CAMPFIRE.

HI-BOY.

HIGH-VOLTAGE TRANSMISSION LINE.

OPEN BURNING.

PORTABLE OUTDOOR FIREPLACE.

POWERED INDUSTRIAL TRUCK.

RECREATIONAL FIRE.

SKY LATTERN.

SECTION 307.4.4 “OPEN BURNING RESTRICTIONS” SHALL BE ADDED AS FOLLOWS:

Section 307.4.4 Open Burning Restrictions. *Open burning on all lands within the jurisdiction of the El Dorado County Fire Protection District (ECFPD), including the Local Response Area (LRA), is prohibited when the California Department of Forestry and Fire Protection (Cal Fire) issues a burn suspension in the State Responsibility Area (SRA). This prohibition shall be made effective 24-hours following its commencement in the SRA.*

Open burning is also prohibited on all lands within the jurisdiction of ECFPD at any time the fire code official that atmospheric conditions or other local circumstances make such fires hazardous, including factors such as high winds, low fuel moisture, fire weather, the issuance of red flag warnings, severe threat of wildland fire, or present risk of destruction by wildfire to life, wildlife, property, or natural resources.

Chapter 4

SECTION 401.2.1 “PRE-FIRE PLANS” IS ADDED AS FOLLOWS:

Section 401.2.1 Pre-fire plans. *Where required by the fire code official, a pre-fire plan shall be provided and approved by the fire code official for all new commercial structures.*

Chapter 5

SECTION 503.2.1 “DIMENSIONS” SHALL BE AMENDED AS FOLLOWS:

Section 503.2.1 Dimensions. Fire apparatus access roads shall have an unobstructed width of not less than 20 feet (6096 mm), exclusive of shoulders, *as measured from face of curb to face of curb*, except for approved security gates in accordance with Section 503.6, and an

unobstructed vertical clearance of not less than 15 feet. *Driveways shall have an unobstructed width of not less than 12 feet wide.*

SECTION 503.2.5 “DEAD ENDS” SHALL BE AMENDED AS FOLLOWS:

Section 503.2.5 Dead Ends. *Dead-end fire apparatus access roads and driveways in excess of 150 feet (45,720 mm) in length shall be provided with an approved area for turning around fire apparatus.*

SECTION 503.2.6 “BRIDGES AND ELEVATED SURFACES” SHALL BE AMENDED AS FOLLOWS:

Section 503.2.6 Bridges and Elevated Surfaces. *Where a bridge or an elevated surface is part of a fire apparatus access road, the bridge shall be constructed and maintained in accordance with AASHTO HB-17, the current El Dorado County Transportation Division Bridge Standard or Appendix D of the current California Fire Code, whichever is more restrictive. Bridges and elevated surfaces shall be designed for a live load sufficient to carry the imposed loads of fire apparatus. Vehicle load limits shall be posted at both entrances to bridges when required by the fire code official. Where elevated surfaces designed for emergency vehicle use are adjacent to surfaces that are not designed for such use, approved barriers, approved signs or both shall be installed and maintained where required by the fire code official.*

SECTION 503.3.1 “NO PARKING IN FIRE LANES” SHALL BE ADDED AS FOLLOWS:

Section 503.3.1 No Parking In Fire Lanes. *No person shall stop, park, or leave standing any vehicle, whether attended or unattended, except when necessary to avoid conflict with other traffic or in compliance with the directions of the Fire Chief, or his/her duly authorized representative, Peace Officer or official traffic control device along the edge of any highway, at any curb, or in any location in a publicly or privately owned or operated off-street parking facility, designated as a fire lane by the district with jurisdiction over the area in which the place is located. The designation shall be indicated (1) by a sign posted immediately adjacent to, and visible from, the designated place clearly stating in letters not less than one inch in height that the place is a fire lane, (2) by outlining or painting the place in red and, in contrasting color, marking the place with the words “FIRE LANE”, which are clearly visible from a vehicle, or (3) by a red curb or red paint on the edge of the roadway upon which is clearly marked the words “FIRE LANE”.*

SECTION 503.3.2 “NO PARKING IN FRONT OF HYDRANTS” SHALL BE ADDED AS FOLLOWS:

Section 503.3.2 No Parking in Front of Hydrants. *No person shall stop, park, or leave standing any vehicle within 15 feet of a fire hydrant except as follows: (a) If the vehicle is attended by a licensed driver who is seated in the front seat and who can immediately move such vehicle in case of necessity, (b) If the vehicle is owned or operated by a fire department and is clearly marked as a fire department vehicle.*

SECTION 503.3.3 “FIRE LANES BASED ON ROAD WIDTH” SHALL BE ADDED AS FOLLOWS:

Section 503.3.3 Fire Lanes Based on Road Width. *Fire lanes shall be based on road width as required in Appendix D as amended by the district.*

SECTION 503.6 "SECURITY GATES" IS AMENDED AS FOLLOWS:

Section 503.6 Security Gates. The installation of security gates across a fire apparatus access road shall be approved by the fire code official *and shall comply with the District gate standard.* Where security gates are installed, they shall have an approved means of emergency operation. The security gates and the emergency operation shall be maintained operational at all times. Electric gate operators, where provided, shall be listed in accordance with UL 325. Gates intended for automatic operation shall be designed, constructed, and installed to comply with the requirements of ASTM F2200.

SECTION 505.1 "ADDRESS IDENTIFICATION" SHALL BE AMENDED AS FOLLOWS:

Section 505.1 Address Identification. *Addresses for new and existing buildings shall comply with the District address standard as approved by the fire code official.* The address identification shall be legible and placed in a position that is visible from the street or road fronting the property. Address identification characters shall contrast with their background. Address numbers shall be Arabic numbers or alphabetical letters. Numbers shall not be spelled out. Each character shall be not less than 4 inches (102 mm) high with a minimum stroke width of $\frac{1}{2}$ inch (12.7 mm). Where required by the fire code official, address identification shall be provided in additional approved locations to facilitate emergency response. access is by means of a private road and the building cannot be viewed from the public way, a monument, pole or other sign or means shall be used to identify the structure. Address identification shall be maintained.

SECTION 507.5.1 "WHERE REQUIRED" SHALL BE AMENDED AS FOLLOWS:

Section 507.5.1 Where Required. Where a portion of the facility or building hereafter constructed or moved into or within the jurisdiction is more than 150 feet from a hydrant on a fire apparatus access road, as measured by an approved route around the exterior of the facility or building, on-site fire hydrants and mains capable of supplying the required fire flow shall be provided where required by the fire code official.

Exceptions:

1. For Group R-3 and Group U occupancies, the distance requirement shall be 600 feet (183 m).

SECTION 509.3 "FIRE CONTROL ROOM" SHALL BE ADDED AS FOLLOWS:

Section 509.3 Fire Control Room. *Fire sprinkler risers, fire alarm control panels, solar photovoltaic power system rapid shutoff switches, and other fire detection, suppression or similar control elements shall be located inside a single fire control room for the building. The fire control room shall have minimum dimensions of five feet by seven feet in size with a total usable area of not less than 35 square feet. The room shall be located within the building on an outside wall at a location approved by the Fire Code Official and shall be accessible from the exterior. An exterior access door with a clear width of not less than 32 inches and height of not less than 80 inches shall be provided for access into the room. A durable sign shall be affixed to the exterior of the door with the words "FIRE CONTROL ROOM" in letters not less*

than 4 inches in height. A key box complying with Section 506 shall be installed on the exterior side of the fire control room door opening.

The room must be capable of maintaining a minimum temperature of 40 degrees Fahrenheit. A clearance of 12 inches shall be provided from the fire sprinkler risers to any adjacent walls. This room can be a shared with other building utilities or fire protection equipment that is not incompatible. An approved cabinet or container shall be provided to store record plans of the fire sprinkler system and other fire protection equipment. This room shall not be used for any other storage.

Exception: One-and two-family dwellings, manufactured homes or similar uses defined as either a Group R-3, R3.1, or R-4 occupancy.

SECTION 510.4.2.3 “STANDBY POWER” SHALL BE AMENDED AS FOLLOWS:

Section 510.4.2.3 Standby power. In-building, two-way emergency responder communication radio coverage systems shall be provided with dedicated standby batteries or provided with 2-hour standby batteries and connected to the facility generator power system in accordance with Section 1203. The standby power supply shall be capable of operating the in-building, two-way emergency responder communication coverage system at 100-percent system capacity for a duration of not less than 72 hours.

Chapter 9

SECTION 903.2 “WHERE REQUIRED” SHALL BE AMENDED AS FOLLOWS:

Section 903.2 Where Required. Approved automatic sprinkler systems *in new buildings and structures when constructed or relocated within the jurisdiction shall be provided in the locations* described in Sections 903.2.1 through 903.2.12 and Sections 903.2.14 through 903.2.23.

Exception: *Agricultural buildings not under a special use permit used for commercial purposes.*

SECTION 903.2.1.1 “GROUP A-1” SHALL BE AMENDED AS FOLLOWS:

Section 903.2.1.1 Group A. An automatic sprinkler system shall be provided throughout stories containing Group A-1 occupancies and throughout all stories from the Group A-1 occupancy to and including the levels of exit discharge serving that occupancy where one of the following conditions exists:

1. The fire area exceeds 3,600 square feet.
2. The fire area has an occupant load of 300 or more.
3. The fire area is located on a floor other than a level of exit discharge serving such occupancies.
4. The fire area contains a multi-theater complex

SECTION 903.2.1.2 “GROUP A-2” SHALL BE AMENDED AS FOLLOWS:

Section 903.2.1.2 Group A-2. An automatic sprinkler system shall be provided throughout stories containing Group A-2 occupancies and throughout all stories from the Group A-2

occupancy to and including the levels of exit discharge serving that occupancy where one of the following conditions exists:

1. The fire area exceeds 3,600 square feet;
2. The fire area has an occupant load of 100 or more.
3. The fire area is located on a floor other than a level of exit discharge serving such occupancies.
4. The structure exceeds 3,600 square feet, contains more than one fire area containing a Group A-2 occupancy, and is separated into two or more buildings by fire walls of less than 4-hour fire-resistance rating without openings.

SECTION 903.2.1.3 "GROUP A-3" SHALL BE AMENDED AS FOLLOWS:

Section 903.2.1.3 Group A-3. An automatic sprinkler system shall be provided throughout stories containing Group A-3 occupancies and throughout all stories from the Group A-3 occupancy to and including the levels of exit discharge serving that occupancy where one of the following conditions exists:

1. The fire area exceeds 3,600 square feet.
2. The fire area has an occupant load of 300 or more.
3. The fire area is located on a floor other than a level of exit discharge serving such occupancies.
4. The structure exceeds 3,600 square feet, contains more than one fire area containing exhibition and display rooms, and is separated into two or more buildings by fire walls of less than 4-hour fire-resistance rating without openings.

SECTION 903.2.1.4 "GROUP A-4" SHALL BE AMENDED AS FOLLOWS:

Section 903.2.1.4 Group A-4. An automatic sprinkler system shall be provided throughout stories containing Group A-4 occupancies and throughout all stories from the Group A-4 occupancy to and including the levels of exit discharge serving that occupancy where one of the following conditions exists:

1. The fire area exceeds 3,600 square feet.
2. The fire area has an occupant load of 300 or more.
3. The fire area is located on a floor other than a level of exit discharge serving such occupancies.

SECTION 903.2.3 "GROUP E" SHALL BE AMENDED AS FOLLOWS:

Section 903.2.3 Group E. An automatic sprinkler system shall be provided for Group E occupancies as follows:

1. Throughout all Group E fire areas greater than 3,600 square feet in area.
2. The Group E fire area is located on a floor other than a level of exit discharge serving such occupancies.

Exception: In buildings where every classroom has not fewer than one exterior exit door at ground level, an automatic sprinkler system is not required in any area below the lowest level of exit discharge serving that area.

3. The Group E fire area has an occupant load of 300 or more.
4. In rooms or areas with special hazards such as laboratories, vocational shops and other such areas where hazardous materials in quantities not exceeding the maximum allowable quantity are used or stored.
5. Throughout any Group E structure greater than 3,600 square feet in area, which contains more than one fire area, and which is separated into two or more buildings by fire walls of less than 4-hour fire resistance rating without openings.
6. For public school state funded construction projects see Section 903.2.19.
7. For public school campuses, Kindergarten through 12th grade, see Section 903.2.20

SECTION 903.2.4 "GROUP F-1" SHALL BE AMENDED AS FOLLOWS:

Section 903.2.4 Group F-1. An automatic sprinkler system shall be provided throughout all buildings containing a Group F-1 occupancy where one of the following conditions exists:

1. A Group F-1 fire area exceeds 3,600 square feet.
2. A Group F-1 fire area is located more than three stories above grade plane.
3. The combined area of all Group F-1 fire areas on all floors, including any mezzanines, exceeds 3,600 square feet.

SECTION 903.2.7 "GROUP M" SHALL BE AMENDED AS FOLLOWS:

Section 903.2.7 Group M. An automatic sprinkler system shall be provided throughout buildings containing a Group M occupancy where one of the following conditions exists:

1. A Group M fire area exceeds 3,600 square feet.
2. A Group M fire area is located more than three stories above grade plane.
3. The combined area of all Group M fire areas on all floors, including any mezzanines, exceeds 3,600 square feet.
5. The structure exceeds 3,600 square feet, contains more than one fire area containing a Group M occupancy, and is separated into two or more buildings by fire walls of less than 4-hour fire resistance rating without openings.

SECTION 903.2.7.2 "GROUP M UPHOLSTERED FURNITURE OR MATTRESSES" SHALL BE AMENDED AS FOLLOWS:

Section 903.2.7.2 Group M Upholstered Furniture or Mattresses. An automatic sprinkler system shall be provided throughout a Group M fire area where the area used for the display and sale of upholstered furniture or mattresses exceeds 3,600 square feet.

SECTION 903.2.8.5 "MANUFACTURED HOMES" SHALL BE ADDED AS FOLLOWS:

Section 903.2.5.2 Manufactured Homes. *An automatic fire sprinkler system shall be required in all new manufactured homes and multi-family manufactured homes intended for use as a one-and two-family dwelling. The design and installation of such systems shall be in accordance with California Code of Regulations, Title 25, §4300.*

Exceptions:

1. *Manufactured homes located within an existing mobile home park complying with California Health and Safety Code, Division 13, Part 2.1 or 2.3.*
2. *Manufactured homes that do not exceed 1,200 square feet in size and serve as an accessory dwelling unit, as defined in Government Code Section 658502; when the existing primary residence on the property is not required to comply with California Residential Code Section R313.2.*
3. *Manufactured homes that do not exceed 320 square feet in size.*

SECTION 903.2.9 “GROUP S-1” SHALL BE AMENDED AS FOLLOWS:

Section 903.2.9 Group S-1. An automatic sprinkler system shall be provided throughout all buildings containing a Group S-1 occupancy where one of the following conditions exists:

1. A Group S-1 fire area exceeds 3,600 square feet.
2. A Group S-1 fire area is located more than three stories above grade plane.
3. The combined area of all Group S-1 fire areas on all floors, including any mezzanines, exceeds 3,600 square feet.
4. A Group S-1 fire area used for the storage of commercial motor vehicles where the fire area exceeds 3,600 square feet.

SECTION 903.2.10 “GROUP S-2” SHALL BE AMENDED AS FOLLOWS:

Section 903.2.10 Group S-2. An automatic sprinkler system shall be provided throughout buildings classified as parking garages where any of the following conditions exist:

1. Where the fire area of the enclosed parking garage, in accordance with Section 406.6 of the California Building Code, exceeds 3,600 square feet.
2. Where the enclosed parking garage, in accordance with Section 406.6 of the California Building Code, is located beneath other groups.

Exception: Enclosed parking garages located beneath Group R-3 occupancies.

3. Where the fire area of the open parking garage, in accordance with Section 406.5 of the California Building Code, exceeds 3,600 square feet.

SECTION 903.2.10.1 “COMMERCIAL PARKING GARAGES” SHALL BE AMENDED AS FOLLOWS:

Section 903.2.10.1 Commercial Parking Garages. An automatic sprinkler system shall be provided throughout buildings used for storage of commercial motor vehicles where the fire area exceeds 3,600 square feet.

SECTION 903.2.22 “GROUP B” SHALL BE ADDED AS FOLLOWS:

Section 903.2.22 Group B. *An automatic sprinkler system shall be provided throughout all buildings containing Group B occupancies where the fire area exceeds 3,600 square feet.*

SECTION 903.2.23 “GROUP F-2” SHALL BE ADDED AS FOLLOWS:

Section 903.2.23 Group F-2. *An automatic sprinkler system shall be provided throughout all buildings containing Group F-2 occupancies where the fire area exceeds 3,600 square feet.*

SECTION 903.6 “WHERE REQUIRED IN EXISTING BUILDINGS AND STRUCTURES” IS AMENDED AS FOLLOWS:

Section 903.6 Where Required In Existing Buildings and Structures. An automatic sprinkler system shall be provided in existing buildings and structures where required in Chapter 11 *and as follows:*

1. When there is a change in occupancy classification that results in an increased life safety or fire risk, as determined by the fire code official, and the structure exceeds 3,600 square feet, an automatic fire sprinkler system shall be installed throughout the building.
2. *In existing buildings 3,600 square feet or greater, other than one and two-family dwelling units, and agricultural buildings not under special use permit for commercial purposes, where the floor area of the building or structure is increased, such building or structure shall be made to conform to Section 903.2.*

Exception: *When the building increase is less than 500 square feet.*

3. *In existing buildings 3,600 square feet or less, other than one-and two-family dwelling units, and agricultural buildings not under special use permit for commercial purposes, where the floor area of the building or structure is increased to a total square footage over 3,600 square feet, such building or structure shall be made to conform to Section 903.2.*

Exception: *When the building increase is less than 500 square feet.*

SECTION 907.2. “WHERE REQUIRED – NEW BUILDINGS AND STRUCTURES” SHALL BE AMENDED AS FOLLOWS:

Section 907.2. Where Required – New Buildings and Structures. An approved fire alarm system installed in accordance with the provisions of this code and NFPA 72 shall be provided in new buildings and structures in accordance with Sections 907.2.1 through 907.2.30 and provide occupant notification in accordance with Section 907.5, unless other requirements are provided by another section of this code.

Not fewer than one manual fire alarm box shall be provided in an approved location to initiate a fire alarm signal for fire alarm systems employing automatic fire detectors or waterflow detection devices. Where other sections of this code allow elimination of fire alarm boxes due to sprinklers or automatic fire alarm systems, a single fire alarm box shall be installed at a location approved by the enforcing agency.

Exceptions:

1. The manual fire alarm box is not required for fire alarm control units systems dedicated to elevator recall control, supervisory service and fire sprinkler monitoring.
2. The manual fire alarm box is not required for Group R-2 occupancies unless required by the fire code official to provide a means for fire watch personnel to initiate an alarm during a sprinkler system, impairment event. Where provided, the manual fire alarm box shall not be located in an area that is open to the public.
3. The manual fire alarm box is not required to be installed when approved by the fire code official.
4. *A fire alarm system is not required in one and two-family dwellings, agricultural buildings, and other occupancies classified as Group U not under special use permit and/or not used for commercial purposes (e.g. retail sales, food service, and/or special events).*
5. *Buildings with a floor area less than 500 square feet may be exempt, as determined by the fire code official based on building construction material and features, location, occupancy type, and distance to exposures.*

SECTION 907.2.1.4 "GROUP A UNDER 3,600 SQUARE FEET" SHALL BE ADDED AS FOLLOWS:

Section 907.2.1.4 Group A Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group A buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.2.3 "GROUP B UNDER 3,600 SQUARE FEET" SHALL BE ADDED AS FOLLOWS:

Section 907.2.2.3 Group B Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group B buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.3.11 "GROUP E UNDER 3,600 SQUARE FEET" SHALL BE ADDED AS FOLLOWS:

Section 907.2.3.11 Group E Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group E buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.4.1 "GROUP F UNDER 3,600 SQUARE FEET" SHALL BE ADDED AS FOLLOWS:

Section 907.2.4.1 Group F Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group F buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.5.2 "GROUP H UNDER 3,600 SQUARE FEET" SHALL BE ADDED AS FOLLOWS:

Section 907.2.5.2 Group H Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group H buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.6.6 “GROUP I UNDER 3,600 SQUARE FEET” SHALL BE ADDED AS FOLLOWS:

Section 907.2.6.6 Group I Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group I buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.7.2 “GROUP M UNDER 3,600 SQUARE FEET” SHALL BE ADDED AS FOLLOWS:

Section 907.2.7.2 Group M Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group M buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.8.4 “GROUP R-1 UNDER 3,600 SQUARE FEET” SHALL BE ADDED AS FOLLOWS:

Section 907.2.8.4 Group R-1 Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group R-1 buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.9.4 “GROUP R-2, R-2.1, R-2.2 UNDER 3,600 SQUARE FEET” SHALL BE ADDED AS FOLLOWS:

Section 907.2.9.4 Group R-2, R-2.1, R-2.2 Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group R-2, R-2.1, R-2.2 buildings with a floor area less than 3,600 square feet.*

SECTION 907.2.10.1 “GROUP S UNDER 3,600 SQUARE FEET” SHALL BE ADDED AS FOLLOWS:

Section 907.2.10.1 Group S Under 3,600 Square Feet. *An approved fire alarm system shall be installed in all group S buildings with a floor area less than 3,600 square feet.*

907.2.30 “TYPE I HOOD INSTALLATIONS” SHALL BE ADDED AS FOLLOWS:

907.2.30 “Type I Hood Installations. *The requirement of installation, or replacement, of a Type I Hood System shall require a fire alarm/sprinkler monitoring system to be installed, or for the hood system to be connected to an existing fire alarm/sprinkler monitoring system for that building.*

907.6.5 “MONITORING” SHALL BE AMENDED AS FOLLOWS:

907.6.5 Monitoring. *Fire alarm systems required by this chapter or by the California Building Code shall be monitored by an approved, UL certified, Type A Full Service central, proprietary or remote station service, which gives audible and visual signals at a constantly attended location. All sprinklered buildings shall be monitored.*

Exceptions:

1. *One- and two-family dwellings (R-3 Occupancies and other occupancies classified as “U”).*

2. *Agricultural buildings not under special use permit and/or not used for commercial purposes (e.g., retails sales, food service, and/or special events).*

SECTION 907.6.2.1 "SECONDARY POWER SUPPLY" SHALL BE ADDED AS FOLLOWS:

SECTION 907.6.2.1 SECONDARY POWER SUPPLY. *Where required by the fire code official, in accordance with NFPA 72, the secondary power supply providing a minimum 24-hour power capacity under quiescent load (system operating in a non-alarm condition) shall be amended to a minimum 72-hour power capacity.*

Exception: *The existence of an emergency back-up power supply that meets or exceed the requirements of California Fire Code Chapter 12.*

SECTION 907.9 "WHERE REQUIRED IN EXISTING BUILDINGS" SHALL BE AMENDED AS FOLLOWS:

SECTION 907.9 Where Required. *An approved fire alarm system shall be provided in existing buildings and structures where required in Chapter 11 and in existing buildings with a floor area less than 3,600 square feet without an approved automatic sprinkler system, other than one- or two-family dwelling units, agricultural building not under special use permit for commercial purposes where a fire alarm detection system does not exist and the floor area of the building or structure is increased*

Exception: *When the building increase is less than 500 square feet.*

Chapter 12

SECTION 1203.1.3 "INSTALLATION" SHALL BE AMENDED AS FOLLOWS:

Section 1203.1.3 Installation. *Emergency power systems and standby power systems shall be installed in accordance with the California Building Code, the California Electrical Code, NFPA 110 and NFPA 111. All buildings, other than one- and two-family dwelling units, and agricultural buildings not used for commercial purposes, with standby power, shall have a shunt trip device that disconnects all power sources to the building, approved by the fire code official. Existing installations shall be maintained in accordance with the original approval.*

Chapter 33

SECTION 3311.3 "PREMISE IDENTIFICATION" SHALL BE ADDED AS FOLLOWS:

Section 3311.3 Premise Identification. *Prior to and during construction, an approved address sign shall be provided at each fire and emergency vehicle access road entry into the project.*

SECTION 3313.1 "WHEN REQUIRED" SHALL BE AMENDED AS FOLLOWS:

Section 3313.1 When Required. *An approved water supply for fire protection, either temporary or permanent, shall be installed and maintained in continuous operation as soon as combustible building materials arrive on site, the commencement of vertical combustible*

construction and on installation of a standpipe system in buildings under construction, in accordance with Sections 3313.2 through 3313.5.

Exception: The fire code official is authorized to reduce the fire-flow requirements for isolated buildings or a group of buildings in rural areas or small communities where the development of full fire-flow requirements is impractical.

Chapter 50

SECTION 5001.7 “LIABILITY FOR DAMAGES” SHALL BE ADDED AS FOLLOWS:

Section 5001.7 Liability for Damages. *Any damages or cost resulting from the negligence, violation of the law, careless handling, spill or discharge of any hazardous materials shall constitute debt against any such person, firm or corporation causing such spill or discharge. This debt is collectible by the Fire Chief, or his/her duly authorized representative, in the same manner as in the case of an obligation under contract, expressed or implied.*

Chapter 56

SECTION 5601.2 “PERMIT REQUIRED” SHALL BE AMENDED AS FOLLOWS:

Section 5601.2 Permit Required. Permits shall be required as set forth in Section 105.5 and regulated in accordance with this section. *Where fireworks permits are required, they shall be issued by the Fire Chief, or his/her duly authorized representative, and the El Dorado County Board of Supervisors.*

Chapter 57

SECTION 5704.2.9.6.1 “LOCATIONS WHERE ABOVE-GROUND TANKS ARE PROHIBITED” SHALL BE AMENDED AS FOLLOWS:

SECTION 5704.2.9.6.1 Locations Where Above-Ground Tanks are Prohibited. Storage of Class I and Class II flammable liquids in above-ground tanks outside of buildings is prohibited within the limits established by law as the limits of districts in which such storage is prohibited. *Storage of Class I and Class II flammable liquids in above-ground tanks outside of buildings is prohibited unless approved by the fire code official.*

SECTION 5706.2.4.4 “LOCATIONS WHERE ABOVE-GROUND TANKS ARE PROHIBITED” SHALL BE AMENDED AS FOLLOWS:

SECTION 5706.2.4.4 Locations Where Above-Ground Tanks are Prohibited. The storage of Class I and Class II liquids in above-ground tanks is prohibited within the limits established by law as the limits of districts in which such storage is prohibited. *Storage of Class I and Class II liquids in above-ground tanks is prohibited unless approved by the fire code official.*

Chapter 58

SECTION 5806.2 “LIMITATIONS” SHALL BE AMENDED AS FOLLOWS:

SECTION 5806.2 Limitations. Storage of flammable cryogenic fluids in stationary containers outside of buildings is prohibited within the limits established by law as the limits of districts in which such storage is prohibited. *Storage of flammable cryogenic fluids in stationary containers outside of buildings is prohibited unless approved by the fire code official.*

Chapter 61

SECTION 6104.2 “MAXIMUM CAPACITY WITHIN ESTABLISHED LIMITS” SHALL BE AMENDED AS FOLLOWS:

SECTION 6104.2 Maximum Capacity within Established Limits. Within the limits established by law restricting the storage of liquefied petroleum gas for the protection of heavily populated or congested areas, the aggregate capacity of any one installation shall not exceed a water capacity of 2,000 gallons. *The storage of liquefied petroleum gas in excess of an aggregate of 2,000-gallon water capacity when located at least one-half (1/2) mile from property zoned or designated for residential use and at least one-half (1/2) mile from existing residential development with a density greater than one (1) dwelling unit per acre and at least one-half (1/2) mile from any hotel or motel is allowed when approved by the fire code official, and a special/conditional use permit is issued by the County of El Dorado.*

Dispensing within established limits. Within the limits established by law restricting the dispensing of liquefied petroleum gas for the protection of heavily populated or congested areas, the aggregate capacity of any one installation shall not exceed a water capacity of 2,000 gallons. The dispensing of liquefied petroleum gas in excess of an aggregate of 2,000-gallon water capacity when located at least one-half (1/2) mile from property zoned or designated for residential use and at least one-half (1/2) mile from any hotel or motel is allowed when approved by the fire code official and a special/conditional use permit is issued by the County of El Dorado.

Chapter 80

SECTION 80, NFPA 1-22, CHAPTER 22 “AUTOMOTIVE WRECKING YARDS” IS ADOPTED, AMENDED SECTIONS AS FOLLOWS:

Revise Section 22.3 as follows:

22.3 Fire department access roads shall be in accordance with the California Fire Code, Section 503 and Appendix D.

Add new Section 22.10 as follows:

22.10 Stored vehicles, boats, recreational vehicles, parts, and equipment shall not be stored within 30 feet of adjacent property lines.

SECTION 80, NFPA, 13D-22 – “STANDARD FOR THE INSTALLATION OF SPRINKLER SYSTEMS IN ONE-AND TWO FAMILY DWELLINGS AND MANUFACTURED HOMES” IS AMENDED AS FOLLOWS: 903.3.1.3, 903.3.5.1.1

NFPA 13D, Amended Sections as follows:

Add new Section 4.6 as follows:

4.6 Residential fire sprinkler systems installed in all new one-and two-family dwellings shall utilize a “Passive Purge” system design unless otherwise approved by the fire code official.

Exception: *Manufactured home installed, tested and approved by the California Department of Housing and Community Development.*

Revise Section 5.1.1.2 as follows:

5.1.1.2 *A supply of at least one of each type and temperature sprinkler used within the premises shall be maintained on the property at an approved location. Spare sprinklers shall be kept in a mounted and accessible cabinet.*

Revise Section 7.6 as follows:

7.6 *A local audio/visual device activated upon water flow shall be provided on all fire sprinkler systems in homes at an approved location on the exterior of the dwelling.*

Revise Section 11.2.1.1 as follows:

11.2.1.1 *Where a fire department pumper connection is not provided, the system shall be hydrostatically tested at a minimum pressure of 150 pounds per square inch gauge for no less than a 30-minute duration without evidence of leakage. Such test shall be witnessed by the fire code official.*

Appendix B – Fire Flow Requirements for Buildings

TABLE B105.1(1) “REQUIRED FIRE FLOW FOR ONE- AND TWO-FAMILY DWELLINGS, GROUP R-3, AND R-4 BUILDINGS AND TOWNHOUSES” SHALL BE AMENDED AS FOLLOWS:

TABLE B105.1(1) REQUIRED FIRE FLOW FOR ONE- AND TWO-FAMILY DWELLINGS, GROUP R-3, AND R-4 BUILDINGS AND TOWNHOUSES

FIRE-FLOW CALCULATION AREA (square feet)	AUTOMATIC SPRINKLER SYSTEM (Design Standard)	MINIMUM FIRE-FLOW (gallons per minute)	FLOW DURATION (hours)
0 – 3,600	No automatic sprinkler system	1,000	1

3,601 and greater	No automatic sprinkler system	Value in Table B105.1(2)	Duration in Table B105.1(2) at the required fire-flow rate
MAJOR SUBDIVISIONS (5 PARCELS OR GREATER)			
0 – 3,600	Section 903.3.1.3 of the CA Fire Code or Section 313.3 of the CA Residential Code	1,000	1
3,601 and greater	Section 903.3.1.3 of the CA Fire Code or Section 313.3 of the CA Residential Code	1/2 value of Table B105.1(2) (min. 1000 GPM)	2
OTHER RESIDENTIAL DEVELOPMENT			
0 – 3,600	Section 903.3.1.3 of the CA Fire Code or Section 313.3 of the CA Residential Code	500	1
3,601 and greater	Section 903.3.1.3 of the CA Fire Code or Section 313.3 of the CA Residential Code	1/2 value of Table B105.1(2) (min. 750 GPM)	1

TABLE B105.2 “REQUIRED FIRE FLOW FOR BUILDINGS OTHER THAN ONE- AND TWO-FAMILY DWELLINGS, GROUP R-3, AND R-4 BUILDINGS AND TOWNHOUSES” SHALL BE AMENDED AS FOLLOWS:

TABLE B105.2 REQUIRED FIRE FLOW FOR BUILDINGS OTHER THAN ONE- AND TWO-FAMILY DWELLINGS, GROUP R-3, AND R-4 BUILDINGS AND TOWNHOUSES

AUTOMATIC SPRINKLER SYSTEM (Design Standard)	MINIMUM FIRE-FLOW (gallons per minute)	FLOW DURATION (hours)
No automatic sprinkler system	Value in Table B105.1(2)	Duration in Table B105.1(2)
Section 903.3.1.1 of the CA Fire Code	25% of the value in Table B105.1(2) ^b	Duration in Table B105.1(2) at the reduced flow rate

b. The reduced fire flow shall not be less than 1,500 gpm

Appendix D – Fire Apparatus Access Roads

SECTION D103.1 “ACCESS ROAD WIDTH WITH A HYDRANT” SHALL BE AMENDED AS FOLLOWS:

Section D103.1 Access Road Width with a Hydrant. Where a fire hydrant is located on a fire apparatus access road, the minimum road width shall be 26 feet (7925 mm), exclusive of shoulders (see Figure D103.1).

Exception: Driveways

SECTION D103.2 “GRADE” SHALL BE AMENDED AS FOLLOWS:

SECTION D103.2 Grade. Fire apparatus access roads *and driveways* shall not exceed 15.9% in grade unless approved by the fire code official or by the El Dorado County amended California Public Resource Code Title 14 / Design and Improvement Standards Manual.

SECTION D103.3 “TURNING RADIUS” SHALL BE AMENDED AS FOLLOWS:

SECTION D103.3 Turning Radius. The minimum turning radius shall be determined by the fire code official; *and shall not include curb and gutter.*

SECTION D103.5 “FIRE APPARATUS ACCESS ROAD GATES” SHALL BE AMENDED AS FOLLOWS:

SECTION D103.5 Fire Apparatus Access Road Gates. Gates securing the fire apparatus access roads shall comply with all of the following criteria:

1. Where a single gate is provided, the gate width shall be not less than 20 feet (6096 mm). Where a fire apparatus road consists of a divided roadway, the gate width shall be not less than 15 feet (3658 mm).
2. Gates shall be of the horizontal swing, horizontal slide, vertical lift or vertical pivot type.
3. Construction of gates shall be of materials that allow manual operation by one person.
4. Gate components shall be maintained in an operative condition at all times and replaced or repaired when defective.
5. Electric gates shall be equipped with a means of opening the gate by fire department personnel for emergency access. Emergency opening devices shall be approved by the fire code official.
6. Methods of locking shall be submitted for approval by the fire code official.
7. Electric gate operators, where provided, shall be listed in accordance with UL 325.
8. Gates intended for automatic operation shall be designed, constructed and installed to comply with the requirements of ASTM F2200.

SECTION D103.6.1 “ROADS 20 TO 29 FEET IN WIDTH” SHALL BE AMENDED AS FOLLOWS:

SECTION D103.6.1 Roads 20 to 29 feet in width. Fire lane signs as specified in Section D103.6 shall be posted on both side of fire apparatus access roads that are 20 to 29 feet wide (6096 to 8534.4 mm).

SECTION D103.6.2 “ROADS MORE THAN 29 FEET IN WIDTH” SHALL BE AMENDED AS FOLLOWS:

SECTION D103.6.2 Roads more than 29 feet in Width. Fire lane signs as specified in Section D103.6 shall be posted on one side of fire apparatus access roads more than 29 feet wide (8534.4 mm) and less than 36 feet wide (10972.8 mm).

SECTION D104.4 “CIRCUMFERENTIAL FIRE APPARATUS ACCESS ROADS” SHALL BE ADDED AS FOLLOWS:

SECTION D104.4 Circumferential Fire Apparatus Access Roads. *When required by the fire code official, a fire apparatus access road shall be constructed to encompass the entirety of a structure and shall provide a continuous means of emergency vehicle access.*

SECTION 4: CONFLICT

That Ordinance No. 2019-01 of the ECFPD, and all other ordinances or parts of ordinances herewith are hereby repealed.

SECTION 5: SEVERABILITY

If any Ordinance, article, subsection or subdivision thereof, provision, sentence, clause or phrase of this code, or any application thereof, is for any reason held to be invalid by a court of competent jurisdiction, such decision shall not affect the remaining provisions of this code, which can be given effect without the invalid portions and, therefore, such invalid portions are declared to be severable. The ECFPD hereby declares that it would have enacted this Ordinance and each of its articles, sections, subsections, or subdivisions thereof, provisions, sentences, clauses or phrases irrespective of the fact that one or more of them is declared invalid.

SECTION 6: EFFECTIVE DATE AND PUBLICATION

This Ordinance shall take effect thirty (30) days after its adoption. The ECFPD Board Secretary is directed to publish this ordinance in a newspaper of general circulation in the District. In lieu of publication of the full text of the ordinance, a summary of the ordinance may be published by the by the Board Secretary within fifteen (15) days after its passage and a

certified copy shall be posted in the office of the ECFPD pursuant to *Government Code Section 36933(c) (1)*.

The above Ordinance was introduced at a meeting of the Board of Directors of the ECFPD on September 30, 2022, and it was then read for the first time. A public hearing was set for the Ordinance to be read for the second time on October 20, 2022 and approved by the following vote:

PASSED AND ADOPTED by the Board of Directors of the ECFPD this, _____ day of _____, 2022.

AYES:

NOES:

ABSENT:

ABSTAIN:

Chris Swarbrick, Board Chair

ATTEST:



Kathleen Freeman, Board Secretary



El Dorado County Fire Protection District

Monthly Run Statistics and Call Break Down – September 2022 Engine Companies and Medic Units



Total Responses for Engine Companies: 685





El Dorado County Fire Protection District

Total Responses for Medic Units: 913





El Dorado County Fire Protection District

Station 17 Run Review September 2022

ENGINE 17: 123 Total Calls

Medical Aid- 88

Fire- 6

Traffic Collision- 7

Public Assist- 5

Misc.- 15

Move/Cover - 0

MEDIC 17: 149 Total Calls

Medical Aid- 130

Fire- 3


Traffic Collision- 8

Transfer- 5


Misc-0

Move/Cover - 123


Response Breakdown September 2022




E17 Monthly Statistics Comparison



Response Breakdown September 2022



M17 Monthly Statistics Comparison





El Dorado County Fire Protection District

Station 19 Run Review September 2022

ENGINE 19: 74 Total Calls

Medical Aid - 42

Fire - 6

Traffic Collision - 9

Public Assist - 1

Misc - 16

Move/Cover - 2

MEDIC 19: 114 Total Calls

Medical Aid- 100

Fire- 4


Traffic Collision- 8

Transfer- 3


Misc- 2

Move/Cover - 117


Response Breakdown September 2022




E19 Monthly Statistics Comparison



Response Breakdown September 2022



M19 Monthly Statistics Comparison





El Dorado County Fire Protection District

Station 25 Run Review September 2022

ENGINE 25: 303 Total Calls

Medical Aid- 227

Fire- 11

Traffic Collision- 14

Public Assist- 15

Misc- 29

Move/Cover - 7

MEDIC 25: 327 Total Calls

Medical Aid- 262

Fire- 3


Traffic Collision- 13

Transfer- 14


Misc- 5

Move/Cover - 70


Response Breakdown September 2022




E25 Monthly Statistics Comparison



Response Breakdown September 2022



M25 Monthly Statistics Comparison





El Dorado County Fire Protection District

Station 28 Run Review September 2022

ENGINE 28: 142 Total Calls

Medical Aid - 85

Fire - 12

Traffic Collision - 12

Public Assist - 9

Misc - 11

Move/Cover - 13

MEDIC 28: 323 Total Calls

Medical Aid- 219

Fire- 10


Traffic Collision- 16

Transfer- 5


Misc- 5

Move/Cover - 68


Response Breakdown September 2022




E28 Monthly Statistics Comparison



Response Breakdown September 2022



M28 Monthly Statistics Comparison





El Dorado County Fire Protection District

Station 72 Run Review September 2022

ENGINE 72: 43 Total Calls

Medical Aid- 25

Fire- 4

Traffic Collision- 4


Rescues- 0

Public Assist- 5


Misc- 5

Move/Cover - 0

Response Breakdown



E72 Monthly Statistics Comparison





El Dorado County Fire Protection District



Station 25 Run Statistics September 2022

ENGINE 25: 297 Total Calls

Medical Aid- 255

Fire- 10

Traffic Collision- 7

Transfer- 20

Misc-4

Move/Cover – 70

MEDIC 25: 366 Total Calls

Medical Aid- 224

Fire- 10

Traffic Collision- 14

Public Assist- 20

Misc.- 28

Move/Cover - 1







El Dorado County Fire Protection District



Monthly Run Statistics and Call Break Down – September 2022 Engine Companies and Medic Units

Total Responses for Engine Companies: 685







El Dorado County Fire Protection District



Total Responses for Medic Units: 913







Engine 25 Monthly Statistics Comparison



Response Breakdown September 2022







Medic 25 Monthly Statistics Comparison



Response Breakdown September 2022



THANK YOU!

Your support of this 2022 edition of **Happy Healthy Pets** helped make it the biggest and best magazine the Mountain Democrat has ever published!

At 80 glossy pages, this exclusive and unique publication will be distributed throughout the county via subscribers, racks, businesses who sell the Mountain Democrat newspaper, and public locations such as veterinarian offices, Chambers of Commerce, realtor offices, and more. Plus it is available online on both the Village Life and Mountain Democrat websites for at least a full year.

If you wish additional copies, let me know the quantity and I'll have them available for will-call at the front desk between 8am to 4pm, M-F.



Chris Jones

Multi-Media Representative

Office: (530) 344-5023

Cell: (916) 417-2528

Village Life & Mountain Democrat

cjones@mtdemocrat.net